

# auSTYLE architectural hardware

The austyle philosophy demonstrates how good ideas become reality.

Every austyle product is designed and manufactured with an emphasis on guality raw materials, practical functionality and unique designs.

Whether the product is 304, 316 stainless steel or solid virgin brass, strength in foundation through the use of high grade raw materials ensures austyle products can withstand the tolerances required in all commercial or domestic, internal or external applications.

auSTYLE Architectural Hardware and Builders Choice Hardware are brands of Superior Brass. Established in 1982 and starting with a traditional range of 10 lever handles, the range now extends to over 3000 products across multiple brands and multiple market segments.

Austyle products are manufactured to exceed ISO9000 international quality standards and are mechanically and practically functional as well as simple and easy to install.

Our in house design team develops products that reflect current market styles and trends and many of our unique designs have design registrations and mechanical patents to protect their individuality.

Welcome to the austyle range of quality architectural hardware and a new approach in design innovation.


## opening doors in *auSTYLE*

**DISTRIBUTED BY:** G D Rutter Ltd 127 Diana Drive, Glenfield, Auckland

sales@gdrutter.co.nz www.superiorhardware.co.nz

## *myL***O**CK Practical & Multi-Functional Living.

Integrated Latch, Privacy & Dead Bolt Now available in both 30mm and 60mm backsets







PROJECT SERIES builderschoicehardware.com.au MODERN COMMERCIAL austyle.com.au





TRADITIONAL & CLASSIC superiorbrass.com.au



#### www.superiorhardware.co.nz

# **Contents - Selecting the Right Hardware**


Door Handles	18
316 Stainless Steel Passage/Privacy sets	20-21
DDA Compliant Commercial Lever Sets	23
Long Plate Entrance Sets 228mm 316	
Stainless Steel - Fire Rated	24-29
Long Plate Entrance Sets 225mm	20.21
Builders Choice Range	30-31
Long Plate Entrance Sets 200mm	32
Project Series Key-in-lever sets	34
Feature Entry Pull Handles	36
Timber Options	38-39
Designer Series	40-43
Integrated Flush/Pull Handle	44
Aluminium Series	45
Glass	46
Round	51
Offsets	58
Square	61
Accessories	61
Security	62
Residential myLOCK Integrated Keyless	
Snibbing Latch & Roller	64-65
Residential Quad Lock – Multi Function	
Entrance Lock	66
Narrow Back-set Locks (Aluminium)	69
Roller Locks	70
Self-Latching Security	70
Cavity/Sliding Door Locks	71
Dead Bolt	71
Security Cylinders	72
Bathroom Privacy Adaptors	72
Passage Latches Roller & Ball Catches	73
	73
Magnetic Door Catch	73

# Family Ranging


8-9
10-11
12-13
14-15
16
17

Escutcheon Covers BathroomLockingOptionsSliding&Hinges	74
Doors	75-76
<b>Flush Pull Handles</b>	<b>78</b>
Sliding Door Flush Pulls	80
Integrated Entrance Door Flush Pull	81
Sliding Door Edge Pulls	81
<b>Kitchen/Cupboard Handles</b>	<b>82</b>
Drawer Pull Handles	84-85
Knobs Pulls	86-87
Hinges Commercial Fire Rated Butt Hinges Square Knuckle Butt Hinges Broad Butt Hinges Ball Bearing Hinges Fast Fix Hirline Ball Bearing Hinges Long Body Heavy Duty Hinges Radius Hinges Bathroom Door - Lift Off Hinges Bathroom Door - Self Closing Hinges	<ul> <li>88</li> <li>90</li> <li>91</li> <li>91</li> <li>92</li> <li>92</li> <li>92</li> <li>93</li> <li>93</li> </ul>
<b>Door Bolts</b>	<b>94</b>
PanicBolts(IncludingKeepers&Accessories)	95
Barrel Bolts	97
Flush Bolts	97
<b>Door Stops</b>	<b>98</b>
Wall / Floor Mount	100
Heavy Duty Door Catches	101
Magnetic Door Catches	101
Alphabet & Numerals	<b>102</b>
House Numerals	104
Alphabet	105
Bathroom Signs	105






Door Handles / Passage, Privacy & Entrance Sets P.18







Handles P.78



Flush, Panic, Door / Window Bolts P.94



P.98

austyle.com.au 5

Numbers and

Alphabet

P.102

# **Product Numbers**

PREFIX = FINISHThe prefix digit represent the finish color - see below

**BASE PRODUCT NUMBER** The LAST four digits represent the base item number.



XXXX

# **Finishes**

PB	[none]	Polished Brass [4 digit product number]	
PVD	1	PVD Brass Finish - 50 year Anti-Tarnish Warranty	
ATQ	2	Antique Finish with Copper Highlight	
CP/ PSS	3	Chrome Plate or Polished Stainless Steel Finish	
SC/ SSS	4	Satin Chrome or Satin Stainless Steel Finish	
MB	5	Matt Black	
СОР	6	Polished Copper Finish	
ATQ BNZ	7	Antique Bronze	
WH	8WH	White	
M0	8M0	Monument	
SB	9	Satin Brass	
٠		Plated To Order	

# **Key Hole Punching Legend**

## *my*L**0**CK

DETERMINING THE HANDING Standing on the INSIDE and facing the door... Which way is the lever pointing?



85mm C/C XXXXE



# **Icon References**



The Ball Bearing is the invisible hero of a friction free operation. The Stainless Steel ball bearing promotes smooth mechanical operation, durability and longevity. The Ball Bearing accompanies a four hour fire rating (Australian Standard # AS1530.4-1997 and BS476.). There are no assembled plastics or nylons in the austyle lever mechanisms.



Quality is never an accident, it is the result of intention, innovation and skillful execution. When the base materials used in manufacturing are of a high standard, the end product lends itself to comprehensive long term mechanicalconfidence.Our products will simply work and accompany a 7 year residential warranty.



Many austyle locks have been fire tested in Australia and have passed either 2 and 4 hours in simulated fire conditions. The rating refers to the fire test only. Installers and specifiers should verify and ensure the appropriate lock meets the appropriate operational building code or fire door requirement.

The austyle ball bearing mechanism, myLOCK and Quadlocks are patented which protects its exclusivity, individuality and uniqueness. Choosing an austyle patented product ensures you're purchasing a product designed in Australia for the Australian market.



6

EURO CYLINDER EURO CYLINDER 47.6mm C/C XXXXA



PRIVACY 57mm C/C XXXXP



SKELETON KEY 57mm C/C XXXXK





Many items in our range are manufactured using 304 or 316 stainless steel where commonly these types of products are usually manufactured by our competitors in zinc or steel. Stainless Steel offerssignificantlysuperior durability and reliability whether used as the base material of the product structure or within its mechanism.



All austyle lever handles and heavy duty passage latches have accompanying long term mechanical warranties. After correct installation, you can relax with long term confidence that our product will simply continue to operate as it did on day one.



The PVD Brass Finish offers a traditional appearance with a 50 Year Anti-Tarnish warranty against, pitting, discolouring and corrosion. If your project/ client has a traditional brief/style with all the benefits of modern durable mechanical operation, this is the product for you. (www.superiorbrass.com)




Austyle passage sets have a unique tamper proof mechanism. When installed correctly, the external lever will not have a visible screw head under the concealing ring. This prevents the handle being tampered with and removed from the external side to gain internal access.

## **Suberior**

# Satin Brass Finish

SB







#### Circular **Pull Handle**

Concealed Fix Includes 80mm Fixing Bolts 300mm Diam

53994	MB
93994	SB






Half Circle Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts

300mm diam.	500mm ( Picture)
53993	53992
93993	93992

n diam. <sup>.</sup>ed) MB SB 93992





# 93928

Offset Pull 93929


Offset Pull

"C" Semi Circle Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts 300mm diam.

53991	MB
93991	SB

# Matt Black Finish MB

**Entrance Family** 




Front Doors Roller Entrance Locks / Pull Handles







## **Internal Family**







# Satin Stainless Steel Finish

Entrance Family




Front Doors Roller Locks & Sliding Door Integrated Pull Handles





**Internal Family** 









# White Family

WH



# Monument Family MO Plated To Order

83580M0 (63mm Rose) Lever Handle

> 83888MO Pull Entry Handle 500mm 83724MO Rectangle Escutcheon 89144MO Double Cylinder 65mm

() ()



83936MO Blade Pull Handle 450mm





# Security Family - Timber doors

INTEGRATED INDEPENDENT KEYLESS SNIB LOCK CAM OPERATION

INTEGRATED PRIVACY OPTION



DURABLE

304 SS

STAINLESS STEEL

Integrated Roller Privacy & Dead bolt functionality Front Adjustable Roller Tension 60mm Backset / 83mm Overall 19217 See Page 64/65 29217 ATQ for all Features 39217 PSS & benefits 49217 59217 MB 69217 COP

Rebate Kit Available x9220



49301 555 59301 MB

#### Entrance Sliding Door

Elongated Striker Plate Holes Allows For Movement Of The Door

2 Locating Pins Guide The Door Into correct Position When Closing

45mm Backset / 62mm Overall

9086 49086 SSS 29086 ATQ 59086 мв 39086 PSS



304



## myLOCK Entrance *myLOCK*

myLOCK

Quadlock

Integrated Roller Privacy & Dead bolt functionality 85mm C/C / 36mm Privacy C/C 60mm Backset / 83mm Overall 19219 See Page 64/65 29219 ATQ 39219 PSS for all Features & benefits 49219 sss 59219 мв

Rebate Kit Available x9220



QuadLock



# Security Family - Aluminium doors





SECURITY



#### myLOCK Entrance Roller myLOCK

Integrated Roller Privacy & Dead bolt functionality Front Adjustable Roller Tension 30mm Backset / 47mm Overall

See Page 64/65 49214 SSS for all Features 59214 MB & benefits

Rebate Kit Available x9220



#### myLOCK Entrance Sliding myLOCK

Integrated Sliding Door Privacy & Dead bolt functionality 30mm Backset / 47mm Overall

See Page 64/65 49285 SSS for all Features 59285 <u>MB</u> & benefits

0	
3	
Π	3
-	-
	a 9-
N	
	F
۲	/

#### myLOCK Entrance myLOCK

Integrated Roller Privacy & Dead bolt functionality 85mm C/C / 36mm Privacy C/C 30mm Backset / 47mm Overall

9211	PVD	
9211	PSS	See Page 64/65
9211	SSS	for all Features
59211	MB	& benefits

Rebate Kit Available x9220







Metal Frame Flush Fix Installation Tabs efer page 69



Multi-Function Entrance Lock OuadLock Multi Function entrance Lock 4 Modes Of Operation 30mm Backset / 47mm Overall



Entrance Roller Lock **Roller Latching Function** 

Front Adjustable Roller Tension 30mm Backset / 47mm Overall

49204 SSS 59204 мв Rebate Kit Available x9220



#### Entrance Lever Lock

Lever Latching Function with retractable latch by cylinder 85mm C/C

30mm Backset / 47mm Overall

49201 59201 MB

25mm Backset 49200 Rebate Kit Available x9210





# Door Handles, Passage, Privacy & Entrance Sets







austyle.com.au 19

## Lever Handles





Material: P.20 - 316 Stainless Steel P.21 - Forged Solid Brass

#### Reference:

All In One Includes







SSS

SSS

A 42310









**Square Adaptor Plates** on any lever of your choice.



SSS

SSS

SSS





A 42325



(A) 42314





<u>рур ср sc Мв</u> 13510 33510 43510 53510



 PVD
 CP
 SC
 MB

 13511
 33511
 43511
 53511



PVD <u>CP</u> <u>SC</u> <u>MB</u> 13516 33516 43516 53516



<u>РVD</u> <u>ср</u> <u>sc</u> <u>мв</u> 13520 33520 43520 53520



 CP
 SC
 MB

 33512
 43512
 53512













## **Square Adaptor Plates**

<u>рур</u> 13519

## **Accessories**



Passage Door Latch

 
 PB
 ATO
 CP
 SC
 MB
 COP

 60mm
 Back
 Set
 9031
 29031
 39031
 49031
 59031
 69031
 45mm Back Set 9028 29028 39028 49028 59028



49024 Magnetic Passage Door Latch 50mm backset



9822 Dummy Fixing Spindle for single side fixing installation



9821 Spare Spindle Screws Kit 2 x Sprung spindles 2 x Tie Bolt Fixing screws 1 set with concealed head

## **Backing Cover Plates**

Sit behind back plate and covers pre drilled holes in the door (63mm)





Round Plate Square Plate PVD CP SC MB 19816 39816 49816 59816 SC MB 49818 59818

M mvLock p.65

hole p.68 SC MB 43566 53566



Adaptor Cover Plates

Multipurpose "Slip Over" auSTYLE passage

A 47.6mm euro cyl E 85mm euro cyl hole p68 L Oval cyl



The Ball Bearing mechanism is the invisible hero of a friction free operation.

2

The Stainless Steel ball bearing mechanism promotes smooth mechanical operation, durability and longevity.

The Ball Bearing mechanism accompanies a four hour fire rating (Australian Standard # AS1530.4-1997 and BS476.)

3

Contact one of our distributors to touch and feel the auSTYLE lever handle difference in store.



# **DDA** Compliant Lever Handles

#### **DDA Compliant**

For buildings used for the provision of a service or employment, the Disability Discrimination Act 2005 (DDA) gives disabled people important rights of access to everyday services. Concealed screw head for tamper proof, high security fixing.





42330 Passage Set 42330E Entrance Set

MB 52330 Passage Set 52330E Entrance Set





316 SSS 42300 42300 Lever Passage Set

<u>мв</u> 53560 53560 Lever Passage Set





42300+42329 Lever Passage Set with Square Plate











Includes Integrated Pivacy Option



43665 Passage Set 43665E Entrance Sete Set



53665 Passage Set 53665E Entrance Sete Set



36	
43555	
Lever Passage S	et

A









43555+43539 Lever Passage Set with Square Plate



## Entrance and Passage



## To Order

Material: 316 Marine Grade Stainless Steel

#### Long Plates:

228x32mm 58mm Projection Concealed Screw Head For Tamper Proof Fixing

Passage Sets 52mm Diam/Square

Options: Passage Entrance Inverted Lever myLOCK (2)

#### Reference:

E Entrance 85mm Locks

- L Reversed Lever
- M myLOCK (8)
- Specify LH/RH
- P Privacy Bathroom Lock

#### ENTRANCE & PASSAGE EXPLAINED

 ${\bf E}$  - Entrance Sets can be used with all high security entrance locks @ 85mm centres. Refer security section.

L - Reversed lever set up.


 $\label{eq:main_state} \begin{array}{l} \textbf{M} (\textcircled{B}) & - \mbox{ Entrance Set can be used conjunction with myLOCK} \\ \mbox{ high security entrance locks. Refer security section. For myLOCK entrance sets - please specify LH/RH handing. \\ \mbox{ HANDING > the INTERNAL side (where the snib sits) needs to be specified and denoted as "LH or RH". \end{array}$ 


## *my*L**0**CK


#### DETERMINING THE HANDING

Standing on the INSIDE and facing the door... Which way is the lever pointing?









EURO CYLINDER 85mm C/C xxxx**E** 

















42325 Lever Passage Set / Privacy Option



Passage Set: Privacy Set: 42325 + 42329 42325 + 42329P

42329 Square Adaptor Plate

316 SSS

316 SSS

## Entrance and Passage



## To Order

Material: 316 Marine Grade Stainless Steel

Long Plates: 228x32mm 58mm Projection Concealed Screw Head For Tamper Proof Fixing

Passage Sets: 52mm Diam/Square

#### Options: Passage Entrance Inverted Lever

myLOCK 🛞

#### Reference:

E Entrance 85mm Locks


- L Reversed Lever
- M myLOCK 🕲
- Specify LH/RH
- P Privacy Bathroom Lock


## *my*L**0**CK

#### DETERMINING THE HANDING

Standing on the INSIDE and facing the door... Which way is the lever pointing?











42320 Lever Passage Set / Privacy Option



 Passage Set:
 Privacy Set:

 42320 + 42329
 42320 + 42329P

316 SSS

316 SSS

42329 Square Adaptor Plate

C			
42314 Lever Passage Set	: / Privacy Option		316 SSS
	Passage Set: 42314 + 42329	2	IP
42329 Square Adaptor P	late		316 SSS





Privacy	420402
Reversed	42348L
myLOCK 🕲	42348M



43658 Lever Passage Set / Privacy Option

316 SSS



Square Adaptor Plate

43659

 Passage Set:
 Privacy Set:

 43658 + 43659
 43658 + 43659P

316 SSS

Forged Brass Shorter 200mm Plate 200x32mm 55mm Projection

Passage	<u>sc</u> 43618	мв 53618
Entrance	43618E	53618E
Privacy	43618P	53618P
Skeleton Key	43618K	53618K
myLOCK ®	43618M	53618M



## **Entrance and Passage**



#### To Orde MB

Material: 316 Marine Grade Stainless Steel

Long Plates: 228x32.2mm 58mm Projection Concealed Screw Head For Tamper Proof Fixing

Passage Sets: 52mm Round/Square

Options::

E Entrance 85mm Locks

- L Reversed Lever
- M myLOCK 🛞 Specify LH/RH

P Privacy Bathroom Lock






## *my*L**0**CK

#### DETERMINING THE HANDING

Standing on the INSIDE and facing the door... Which way is the lever pointing?












Passage Set: Privacy Set: 42304 + 42329 42304 + 42329P

Square Adaptor Plate



316 SSS









For buildings used for the provision of a service or employment, the Disability Discrimination Act 2005 (DDA) gives disabled people important rights of access to everyday services.

## Passage Door Latch



SSS "T" Striker: 60mm Latch 49017 / 45mm Backset 49028 "D" Striker: 60mm Latch 49031

All 52mm ROUND lever sets already come with a multi-function "T" striker latch which can be used for either passage or privacy door applications. (including all components).

## (316 SS) **Escutcheon Cylinder Covers**

Concealed Fixing. Sold cast 316SS. 52mm diameter.

\$55 43704 [refer P.72 & 74 for cylinder and escutcheon cover options sold separately]



## **Integrated Privacy Kits**



49016 - Privacy Latch Only (ea) 49016P - Privacy Round Covers Only (pair)



SSS 49016 - Privacy Latch Only (ea) 49072P - Privacy Square Covers Only (pair)

All 52mm ROUND lever sets already come with a multi-function latch which can be used for either passage or privacy door applications. (including all components).

## **Entrance and Passage Sets**



www.builderschoicehardware.com.au

Material: Zinc

Long Plates: 225x32mm 55mm Projection Concealed Screw Head For Tamper Proof Fixing

Passage Sets: 52mm Round 52x52mm Square

Options: Passage Entrance myLOCK 🛞 Privacy/Bathroom Skeleton Ket



EURO CYLINDER 85mm C/C XXXXE

EURO CYLINDER 47.6mm C/C XXXXA

PRIVACY

57mm C/C

XXXX**P** 

SKELETON KEY 57mm C/C XXXXK



*my*L**0**CK DETERMINING THE HANDING Standing on the INSIDE and facing the door... Which way is the lever pointing?

























All In One: Includes both passage and privacy options all in the one box





A

SC Square Passage Set: 43515 + 43539 Square Privacy Set: 43541 + 43539P + 49016

Square Adaptor Plate




Visit www.builderschoicehardware.com.au to see the full range of levers available.

## Quality. Value. Style. austyle.com.au 31

# Minimal Lever Range

AMPER PROOF





PATENTED



sc 43576 Passage Set



sc 43577 Passage Set





<u>sc</u> 43603 Passage Set



監 43605 Passage Set CP 33605 Passage Set

Looking for a classical traditionally reproduced handle without compromising on security?

32



## **PROJECT SERIES RANGE**

Ideal for all residential projects Adjustable 60/70mm backset latch C4 Cylinder profile to Australian standards 64x64mm Backplates 55mm Projection



43561E Entrance Lock Set SC



43561 Passage Set SC





49252 Dead Bolt Double <u>sc</u> Cylinder Entrance

49253 Dead Bolt Single <u>sc</u> Cylinder/Turn Snib





49250 Dead Bolt Double sc Cylinder Entrance

49251 Dead Bolt Single <u>sc</u> Cylinder/Turn Snib



43561P Bathroom Privacy Set SC




43562 Single Dummy (fixed) SC



Visit www.builderschoicehardware.com.au to see the full range of levers available.


Quality. Value. Style.

austyle.com.au 33



# Feature Entrance Handles

# **Timber Entrance Handles**




3950 Pair back-to-back Timber Grain / Satin SS legs



Fixing Screws: M8 Fitting Holes: 10mm diameter






Fixing Screws: M8 Fitting Holes: 10mm diameter




3946 - 600mm | 3948 - 900mm Pair back-to-back Blackbutt Hardwood

#### 3942 - 300mm | 3944 - 600mm Pair back-to-back Blackbutt Hardwood

AB












3944 - 600mm

## **Iron Entrance Handles**







MB 53956 Pair back-to-back Rustic - Black Textured

A B

CH

CH.


C A 515mm

B 710mm C 30mm

Fixing Screws: M8 FittingHoles:10mmdiameter

D 90mm Projection















Off-Set Single Handle





- A 300mm B Width 26 C Offset 56mm
- D Projection 54mm

 PB
 3953


 ATO
 23953

 PSS
 33953

 SSS
 43953

 MB
 53953

# Solid Cast 304 Entrance Handles










304 STAINLESS STEEL





Pair back-to-back



- A 350mm
- A 350mm B 400mm C 24 x Offset 84mm D 82mm

Fixing Screws: M8 Fitting Holes: 10mm diameter

Manufactured by Solid Investment Casting


304 Stainless Steel

Each pair weights 6kgs



# Sliding Or Barn Door Integrated Square Pull Handle & Flush Pull Set









(316 SS 316 STAINLESS STEEL



Matching Snib & Escutcheon Cover Plates for your feature entrance door to maintain uniformity through out your home.



Used in conjunction with myLOCK entrance security locks and cylinders.

(Refer Security section).

53890

53890C






C D 43890 Pairback-to-back 800 775 25x50 65 43890C Pairback-to-back 1800 1775 25x50 65

53888 Entry Pull Handle 500mmW 59217 Entrance myLOCK 53736 Snib & Escutcheon Cover Plate 59144 Double Cylinder 60mm






# Aluminium







<u>sc</u> 43966 Pair back-to-back Aluminium To Order To Orde MO D A B



#### 125mm Offset

210mm А


С

- B C D 250mm 35 x Offset 125mm 61mm
- 125mm Offset
- 210mm A B C D
- 250mm 38 x Offsert 125mm
- 61mm

# Glass



43933 Single Tempered Clear Glass



43934 Pair back-to-back Tempered Clear Glass D do

A B

495mm 550mm 12x55mm

54mm


QO

C


A B C D




43931 Single Tempered Clear Glass



43932 Pair back-to-back Tempered Clear Glass




- 100mm 170x170mm 15mm A B C D
  - 55mm
- А
- 100mm 170x170mm 15mm 55mm B C D













Fixing Screws: M8 Fitting Holes: 10mm diameter



5370252mm Round Escutcheon59144Double Cylinder 65mm









Circular Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts

300mm Diam 53994 <u>mb</u> 93994 SB



Concealed Fix Includes 80mm Fixing Bolts 300mm diam. 500mm diam. (Pictured) 53992 <u>MB</u> 93992 <u>SB</u> 53993

93993





"C" Semi Circle Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts 300mm diam.

MB SB 53991 93991







austyle.com.au 49







			0	C	0	
43808	Pair back-to-back	450	300	25x25	65	
43810	Pair back-to-back	600	400	25x25	65	
43812	Pair back-to-back	900	600	25x38	78	
43814	Pair back-to-back	1200	900	25x38	78	

BA

C

 Other Finishes/Sizes available as a special order:

 <u>MB</u>
 <u>WH</u>


 <u>MO</u>
 <u>PVD</u>

 <u>PSS</u>



Slim Design







#### Square Design



316 SSS		А	В	С	D
43854	Pair back-to-back	450	425	25x25	66
43855	Pair back-to-back	600	575	25x25	66
43856	Pair back-to-back	1000	975	25x25	66
		А	в	с	D
MB		A	В	C	D
53854	Pair back-to-back	450	425	25x25	66
53855	Pair back-to-back	600	575	25x25	66
53856	Pair back-to-back	1000	975	25x25	66

 Other Finishes/Sizes available as a special order:

 PSS
 WH

 MO
 PVD








#### Oak Centre / Polished Ends

 316 SSS
 A
 B
 C
 D

 43910
 Pairback-to-back
 600
 575
 45
 75





Satin Centre / Polished Ends

 316 SSS
 A
 B
 C
 D

 43916
 Pairback-to-back
 600
 575
 45
 68

ΒA






#### Bowed Pull

316 SSS		A	В	С	D
43869	Single	300	150	25	72
43870	Pair back-to-back	300	150	25	72
43874	Pair back-to-back	600	400	32	96
43876	Pair back-to-back	900	600	38	101

Other Finishes/Sizes available as a special order: MB WH MO PVD PSS







Linear Tube								
316 SSS		А	В	С	D			
43866	Pair back-to-back	450	300	25	63			
43867	Single	600	400	32	74			
43868	Pair back-to-back	600	400	32	74			
43872	Pair back-to-back	1000	800	32	74			
мв								
53866	Pair back-to-back	450	300	25	63			
53868	Pair back-to-back	600	400	32	74			
53872	Pair back-to-back	1000	800	32	74			
SB								
93866	Pair back-to-back	450	300	25	63			
93868	Pair back-to-back	600	400	32	74			
Other Finishes/Sizes available as a special order:								


PSS WH MO PVD












ΒA



# 316 A B C D 43881 Single 350 325 25 74 43882 Pair back-to-back 350 325 25 70 43883 Single 600 562 38 90 43884 Pair back-to-back 600 562 38 90

MB WH MO PVD PSS






Offset "D" Pull

								_
316 SSS		А	В	С	Offset I	E Projection		
43833	Single	300	268	32	112	77		
43834	Pair back-to-back	300	268	32	112	77		
43842	Pair back-to-back	600	568	32	136	77		
43843	Single	1300	1268	32	112	81		
43844	Pair back-to-back	1300	1268	32	112	81		
Other Fin	nishes/Sizes available H MO PVD PSS	as a sp	ecial or	der:			$\square$	





#### Offset Tube Pull

Offset 100mm

BA

С

316 SSS		А	В	С	D
43921	Single	350	220	32	80
43922	Pair back-to-back	350	220	32	80
43924	Pair back-to-back	600	400	32	80

 Other Finishes/Sizes available as a special order:

 <u>MB</u>
 <u>WH</u>
 <u>MO</u>

 <u>PVD</u>
 <u>PSS</u>




(316 SS 316 STAINLESS STEEL



#### Linear Square Design








#### **Tapered Design**

Pair back-to-back						
316 SSS	А	B C				
43926	325	300 28x12.5				
43928	475	450 28x12.5				
43929	625	600 28x12.5				
43930	1025	1000 28x12.5				

#### MB 53926 325 300 28x12.5 53928 475 450 28x12.5 53929 625 600 28x12.5 53930 1025 1000 28x12.5 SB 93928 475 450 28x12.5 93929 625 600 28x12.5



## (316 SS 316 STAINLESS STEEL



 
 316 \$555

 43840/325
 325 /cc300
 80
 25x25
 50
 43840/475 475/cc450 **80** 25x25 50 43840/625 625/cc600 **80** 25x25 50 <u>мв</u> 53840/325 325/cc300 **80** 25х25 50

53840/475 475/cc450 **80** 25x25 50

53840/625 625/cc600 **80** 25x25 50

Other Finishes/Sizes available as a special order:

PVD WH MO



Overall / Centre-to-Centre


56





#### Slim Offset Design Pair back-to-back

316 SSS	A	В	С	D	E	F
43960	450	425	100	50	30x15	30x30
МВ						
53960	450	425	100	50	30x15	30x30



austyle.com.au 57

# Aluminium






ΒA

Other Finishes/Sizes available as a special order: PVD WH MO







ΒA

# Solid Brass



# Single Square Pull Handle










## Pull Handle Accessories

## Magnetic Door Catch



Earth magnets recessed into the frame and door hold the door firmly and securely in the closed position.

## **Roller Catch Latch**

<u>°</u> 39026 <u>sc</u> 49026 <u>MB</u> 59026



Roller Latch assists to hold the door firmly and securely in the closed position.

## Pull Handle Fixing Legs

2 pcs DIY Fixing legs accessory can be attached to timber or aluminium handles



## Sliding Door - Integrated Flush Pull & Handle

INTEGRATED









304 STAINLESS STEEL

DURABLE SECURITY

INTEGRATED PRIVACY OPTION KEYLESS SNIB LOCK CAM OPERATION





*myL***O**CK

INDEPENDENT

Integrated Sliding Door Entrance Lock Privacy & Dead Bolt Functionality

PATENTED

myLOCK


30mm Backset / 47mm Overall

49285 SSS 59285 MB

#### Striker Plate Options Included

• Fixings suit aluminium & timber 40mm+ doors.

• Flush and face fix options.



180x26mm 1x Boxed Elevated Finishing Striker 180x22mm: 1x Flat Finishing Striker 2x 2mm Packing Plates 1x 1mm Packing Plate



STRIKER OPTIONS

Flat Face Striker for Timber Doors.

22<u></u>

Ø

+

Elevated Face Striker for Aluminium Doors.

\_26

#### **Rectangle Escutcheon Cover**

**Concealed Fixing** 304 Stainless Steel


70x30x9mm











43967 🔛

53967 MB

43969 555 53969 MB



43756 🔛 53756 MB













## myLOCK Integrated Flush Pull & Handle

Back to back fixing Integrated keyless privacy & high security dead lock



Flush Pull: 295x40mm (C/C 275mm) Full Handle: 25x25x300mm (C/C 275mm)



## myLOCK Integrated Flush Pull & Slim Linear Handle

Integrated keyless privacy & high security dead lock

Flush Pull: 295x40mm (C/C 275mm) Full Handle: 30x15x305mm (C/C 275mm)



## myLOCK Integrated Back To Back Flush Pull Set

Back to back concealed fixing Concealed External Fixing Integrated keyless privacy & high security dead lock

Flush Pull: 295x40mm (C/C 275mm)





# Security

# *myL***O**CK

#### **ALL IN ONE Integrated Security: ROLLER LATCH, PRIVACY and DEAD BOLT.**

Upgrade & Improve Your Entrance Security Without Changing Your Door. The new stainless steel body is designed to retro fit into the cavity of 85mm entrance mortice locks. Upgrade the security in your home without the need to change your door.

#### 304 Stainless Steel

The casing, privacy & dead bolts, roller latch, spindlefollower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability.

#### The Indicator Snib

The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked position

#### Adjustable SS Heavy Duty Roller Latch

After installation from the front of the roller latch; easily adjust the spring tension and projection of the roller to suit your desired opening tension.

Ð

**P**{

suits austyle independent CAM cylinders only

窬

(304 SS)



Engage the dead bolt for the ultimate level of security when you're out of the house or away on holiday. A solid 304SS bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece of mind.

#### Independent CAM Cylinder & Integrated keylock

The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in auSTYLE.



#### mvLOCK Roller Lock

		•		0011
	60mm Backset	30mm Backset	Rebate Kit Option	Face/Strik Spare Part 60mm
PVD	19217		19220	19827
ATQ	29217		29220	29827
PSS	39217		39220	39827
SSS	49217	49214	49220	49827
MB	59217	59214	59220	59827
COP	69217			69827

# **HOW TO ORDER**

The 4 step process helps you combine the Roller Lock with the appropriate auStyle product to create a modern, clean entrance feature.

**STEP 1** Choose *myL***O**CK **Roller Lock** x9217 or x9214 Add rebate kit if needed



**STEP 2** Choose Your

Entrance Handle



Choose Your Snib Escutcheon Design





Cylinders P.72 cylinders only

# *myL***O**CK

#### **ALL IN ONE Integrated Security:** LEVER LATCH, PRIVACY and DEAD BOLT.

Upgrade & Improve Your Entrance Security Without Changing Your Door. The new stainless steel body is designed to retro fit into the cavity of 85mm entrance mortice locks. Upgrade the security in your home without the need to change your door.

Keyless Locking

#### 304 Stainless Steel

The casing, privacy & dead bolts, latch, spindle follower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability

#### The Indicator Snib

The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked position.

#### Quick Release Escape Function

Using the lever handle to open the door automatically disengages the privacy bolt for a quick keyless exit.

()

FIRE

2 Hour Fire Tested Lock 2 Hour Fire Rated Cylinders

(304 SS

#### day use and works independently of the dead bolt. High Security Dead Bolt Engage the dead bolt for the ultimate level of security when

of mind

#### Independent CAM Cylinder & Integrated keylock

The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in auSTYLE.

## Ð JĮÇ

# **HOW TO ORDER**

The 3 step process helps you combine the Lever Lock with the appropriate auStyle handle set to create a modern, clean entrance feature.

**STEP 1** Choose *myL***O**CK Latch Lock x9219 or x9211

Add rebate kit if needed

A

Lever

DETERMINING THE HANDING Standing on the INSIDE and facing the door... Which way is the lever pointing?





See Door Handles Section P.19



See Security Secion P.75

3

suits austyle independent CAM



Using the snib when home will prevent anyone opening the door and walking in. It's a quick and simple locking function for every

you're out of the house or away on holiday. A solid 304SS bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece









#### myLOCK Lever Lock

	60mm Backset	30mm Backset	Rebate Kit Option	Face/Striker Spare Parts 60mm
PVD	19219	19211	19220	19828
ATQ	29219		29220	29828
PSS	39219	39211	39220	39828
SSS	49219	49211	49220	49828
MB	59219	59211	59220	59828
COP	69219			69828

## STEP 2


Choose **Your Entrance** 

## **STEP 3**


Choose Your Cylinder Type

Requires a double cylinder





65





PATENTED

# Security Locks Hinged Doors



## **Residential Security Locks**

Designed and Engineered in Australia

Heavy duty case and internal mechanical components.

Non combustible components





PB 9208 9209 19210 
 PSS
 39208
 39209

 SSS
 49208
 49209

 MB
 59208
 59209
 39210 49210 59210



(304 SS)

304 STAINLESS STEEL

LATCHING STRIKER OPTION INCLUDED

PATENTED

## **Commercial Dead Latching Locks**

Fire Door Exit Compliance when installed & used in dead latching mode Electric Strike Compatible when installed & used in dead latching mode Simultaineously retracts latch (and bolt) when unlocking the door for a quick exit

Reversible latch for either LH / RH opening doors





## **Commercial Narrow Back Set**

85mm C/C





(47



Simply put, stainless steel offers significantly better durability and strength when compared with commonly available zinc or steel structured locks. Stainless steel contains higher levels of nickle providing superior corrosive resistance. Our locks are ideal for heavy duty, commercial applications and whenever superior quality and reliability is a significant consideration.



68



## Extended **Striker Plates**



Generic Extension Striker 100x25mm SSS PSS 49839 39839



#### Suits All 85mm Locks

#### 304 SSS

49840 85mm - 60mm Extension Lip 49841 125mm - 60mm Extension Lip

#### Suits Roller Locks

49842 125mm - 60mm Extension Lip

#### MB

59840 85mm - 60mm Extension Lip 59841 125mm - 60mm Extension Lip

Suits Roller Locks 59842 125mm - 60mm Extension Lip

## Metal Frame **Flush Fixings**

Flush Fix Mounting Tabs Enable Locks To Be Flush Fixed Into Metal Frame Doors.





 
 Image: Name
 √ (304 SS) PATENTED

### **Roller Latch Entrance Security**

# Sliding Doors Security



### **Roller Latch** & dead bolt - Timber Doors

Adjustable roller spring tension Supplied with both LH and RH striker plates Used in conjunction with entry handles, cylinders and escutcheons





57mm Backset Escutcheon /cylinder sold separately 
 PB
 9015

 ATO
 29015

 PSS
 39015

 SSS
 49015

 MB
 59015

#### Supplied with both LH and RH striker plates Refer P.64 For Functionality STAIN ESS STEEL Rebate Kit Option 60mm 30mm Backset 30mm Backset Rebate Kit Optio 60mm (60mm Only) Backset SSS 49214 MB 59214 <u>sss</u> 49204 49210 PVD 19217 19220 MB 59204 59210 ATQ 29217 29220 PSS 39217 39220 SSS 49217 49220 MB 59217 COP 69217 59220

& dead bolt - Aluminium Doors

Heavy duty aluminium or timber door commercial applications

**Roller Latch** 

Fromt adjustable roller spring tension

### Self Latching Snib Latches

#### Sliding Doors

Ideal for all Aluminium or timber self closing/ latching sliding doors Residental or commercial applications



Disabled & Child safety latch 占 Install at 1800mm from floor to prevent children opening doors DDA COMPLIANT

Includes 2 snibs 45mm diameter /28mm Backset

PVD	19027
PSS	39027
SSS	49027
MB	59027

70



Ideal for all self closing/latching hinged doors

Residental or commercial applications



Includes 2 snibs 40mm diameter / 60mm Backset

PVD 19018 PSS 39018 SSS 49018

Hinged Doors

### Sliding Cavity Door Lock

Designed and Engineered in Australia Heavy duty case and internal mechanical components. Non combustible components Heavy duty steel striker plate for additional strength and security Solid stainless steel Bolt and Latching Mechanism





Euro Cylinder	5 Lever Skeleton Key
9087	9084
	29084 Plated to order
	39084 Plated to order
49087	49084 Plated to order
59087	59084 Plated to order

PB ATQ PSS SSS MB

 $\bigcirc$ 

myL**O**CK

components

30mm back set

Multiple Striker Options.

Suits Timber & Aluminium Doors

Integrated Keyless Privcy and High

Security Dead Bolt Functionality.

Stainless Steel Non-combustible

Heavy duty steel backing plate for

additional strength and security

### Door Edge Pull

Use the edge pull to retrieve the door from its cavity.





### **Entrance Dead** Bolt 304SS

Heavy duty steel backing plate for additional strength and security

Suitable for either LH or RH opening doors (49143 cylinder / 43702 escutcheon sold separately)

#### 60mm back set



Included for Flush & Face Fixing option 304 STAINLESS STEEL



(304 SS

30mm Backset

PVD PSS SSS MB 19285 39285 49285 59285



#### Euro Cylinder

19312 PB ATQ PSS SSS MB 29312 39312 49312 59312



### **Integrated Flush Pull** for entrance sliding doors



STRIKER OPTION Events State State

Ħ

•

Heavy Duty Pull Handle



115x25mm 4456 PB CP SC 34456 44456 **MB** ● 54456



For fully recessed doors. use x3754E flush pulls together with a x9140 42mm cylinder on cavity sliding door with an entrance sliding door lock to **allow** the door to fully recess back into its cavity without compromising on security.

#### Flush Pull

220x55x10mm SSS 43754E MB 53754E

#### Cylinder 42mm Double SSS 49140 MB 59140

**Sliding Door Lock** (refer above 
 SSS
 49087

 MB
 59087



# **Security Cylinders**

### **Keyed Cylinder Barrels**



### Turn Snib & Key Cylinder Barrels

39mm Cyl. & Turn		39mm & Turn	65mm 5 Pin Cyl. & Turn	70mm 5 Pin Cyl. & Turn
	PVD	-	19145	-
	РВ	9141	9145	-
	ATQ	-	29145	-
65mm Cyl. & Turn	CP	39141	39145	-
	SC	49141	49145	49149
70mm Cyl. & Turn	MB	59141	59145	59149


### Euro Profile Privacy Adapter

Use the adaptor to convert any of the high security locks to use with privacy snibs for low security privacy or bathroom door applications. Refer page 77 for all available snib styles.

Euro Profile Privacy Adapter 9848











**Key Blanks** 

Cylinder Keys

9845-KEY5 5 Pin

9845-KEY6 6 Pin

## Passage Door Latches

10 YEAR MECHANICAL



### Passage Latch "T" Striker Split Follower 00

	45mm Single Spring	60mm Single Spring
PB	9028	-
ATQ	-	-
CP	39028	-
SC	49028	49028
MB	59028	-

# Passage Door Catches

### Roller Catch Latch



Roller Latch assists to hold the door firmly and securely in the closed position.

- <u>sc</u> 49026
- мв 59026

## Magnetic Door



Earth magnets recessed into the frame and door hold the door firmly and securely in the closed position.

<u>sc</u> 43732

TIP: Highly Recommended for use on all is installed to assist in holding the door firmly in position.



### Separate Rebate adaptor kit



PB	9025
TQ	29025
CP	39025
SC	49025
4B	59025


Suits Austyle Latches & Privacy Bolts

### Magnetic Latch for a clean door edge



60mm Depth 50mm Backset The magnet ejects & retracts automatically with the operation of the handle. Includes box striker for a neat professional fiinish





pivot or hinged doors where a roller lock

### Ball Catch/Latch



Ball catch assists to hold the door firmly and securely in the closed position.

PB	3731
CP	3373′
SC	4373′

### Escutcheon Covers 00000 Cylinder sold separately









Square Oval Profile 52x52mm 52x52mmSC435378mm ProjectionMB53537



Square Euro Profile 52x52mm sc 43538 8mm Projection Concealed Fix MB 53538











(316 SS 316 STAINLESS STEEL Square Edge 52mm 8mm Projection Concealed Fix Solid Cast 316SS <sup>316</sup> SSS 43704

Blank

52mm

**Concealing Cover** 

8mm Projection

<u>CP</u> 33709 <u>SC</u> 43709 <u>MB</u> 53709

Square Edge

8mm Projection

45mm 40mm

43706 43705

13706

33706

53706

₩H<sup>•</sup> 83707 83706 83705

52mm

PVD 13707

CP 33707

<u>sc</u> 43707

MB 53707

Oval Cyl.

13705

33705

53705



Oval Concealed

(304 SS

70x30mm

PVD 13725

PSS 33725

sss 43725

**мв**• 53725

₩H<sup>•</sup> 83725

Square

. 40x40mm

23726 33726

43726

53726

83726

Edge

52mm

13703

33703

43703 53703

8mm Projection 3726

PB

ATQ CP SC MB

9mm Projection





52mm PVD 13708 CP 33708 <u>sc</u> 43708 MB 53708 WH 83708



Create a clean minimal entrance using a snib & escutcheon set to operate high security locks for front/external doors.

The snib operates the lock in the same way a conventional lever handle functions, opening the door from the inside with a turn of the snib.

Externally, use a key to simultaneously retract the latch and open the door.

Simple. Practical daily functionality.



### Snib & Escutcheon Sets

304 Stainless Steel Plates. 145x40mm. Includes external escutcheon plate. Cylinders sold separately p.72.





Rectangle Integrated Snib Set 100x40mm





*myL***O**CK

Suits: x9217

85mm

23734 **ATQ** 43734 SSS

53734 MB





(p.68) 47.6mm

13735	PVD
23735	ATQ
33735	PSS
43735	SSS
53735	MB
63735	COP



13736 PVD 23736 ATO 33736 PSS 43736 SSS

*my*L**0**CK

Suits: x9217

Roller Locks

(p.70)

85mm

	10/00
MB	53736
COP	63736
WH	83736
SB	93736

External Side Concealed Screw Head For Tamper Proof Fixing

### **Bathroom Locking Options Recessed Cavity Sliding Door Options**

Ideally used in situations where the cavity door recesses all the way back inside the door frame. These flush pulls are recessed into the door face allowing the door to fully recess into its cavity. Matching flush pulls for lockable and passage doors available on page 41 for asthetic consistency.

#### Integrated privacy flush pull









Non-Recessed snibs Recessed flush turn snibs

Refer opposite page for all snib style options Locating pin guides the door into its correct position when closing.

	100	. 6.
		.0.
0	10	
9		

100

0

Flu	aled Fix sh Turn nib Set Imm Diam	Sliding Door Latch 53mm Overall 37mm C/C
PVD	9040	9033
ATQ	29040	29033
CP	39040	39033
SC	49040	49033
MB	59040	59033

### Hinged Bathroom Door Options

Bathroom Privacy Door Bolt 60mm back set



Used in conjunction with all snib options below.

### **Privacy Snib Styles**

Ideal for hinged or sliding doors / concealed & thru fix options / Ideal for semi-recessed sliding doors





Integrated Flush Sliding Door Pull & Latch Set Latch (Only) Flush Pull 220x55mr 60mm Back Se Includes 60mm Latch 80mm Overal 304 SSS MB 43754P 49041 53754P 59041

Bathroom **Sliding Door** 





	Flush	Flush
	Pull	Latch Pull
PB	9049	9050
ATQ	29049	29050
CP	39049	39050
SC	49049	49050
MB	59049	59050



#### FEATURES:

•


•

- Entrance, Privacy & Passage Functions •
- Suitable for 35-45mm door thickness .
- Solid diecast construction 178x38mm •
- Includes door edge finger pull •
- Adjustible striker plate •
- Integrated emergency release • (privacy)
- 3 Keys included (entrance)
- Includes fixing instructions
- Finishes: Black; Satin Nickel; Satin Brass
- Passage Doors 43757-SN 53757-Black 93757-Satin Brass
- . Privacy Doors 43758-SN 53758-Black 93758-Satin Brass Entrance Doors 43759-SN 53759-Black 93759-Satin Brass •



colour indicator & emergency release

Reverse Side colour indicator & emergency release



Square Concealed Fix 40x40mm

> CP 9046 SC 49046 **MB** 59046



Round Concealed Conceald Fix 50mm diam. sc 43531CL MB 53531CL

Concealed Fixing 36m Diam. <u>РВ</u> 9038 ATQ 29038 ср 39038 sc 49038 мв 59038

Round







Rectangle Snib Set Thru Fixing 40x25m Diam. PB 9034 ATQ 29034 ср 39034 sc 49034 MB 59034




Square Double Sni	b Set
Concealed	Fixing
40x	40mm
SC	49045
МВ	59045









77 austyle.com.au





# Flush Pulls

## Flush Pulls



Ideal for all bi-fold Sliding or cavity doors



70x70mm 50x50mm 12mm Depth 12mm Depth 304 SSS 43750 43751 MB 53750 53751



19mm Depth <sup>304</sup> SSS 43743 <u>MB</u> 53743



Used in conjunction with passage latch (x9031) and most 60mm backset locks. 304 304 SSS 43746 MB 53746

220x55mm

n Dept

320x55mn

<sup>304</sup> SSS 43753

MB 53753



70x70mm 12mm Denth 
 304
 43742

 MB
 53742





65mm Diam. 12mm Depth <sup>304</sup> <u>SSS</u> 43741 <u>MB</u> 53741



45x63mm 7mm Depth 
 PSS
 33747

 304
 43747

 MB
 53747



Longer architectural sizes assist to accentuate the height of the door and room. Ideal for timber or aluminium doors.





(304 SS)  $_{\mbox{STAINLESS STEEL}}$   $\mbox{Concealed fixing with an internal finger grip}$ 












NARROW (35mm) SLIM LINE FLUSH PULL

Concealed grub screw fixing Moulded Solid 304SS without internal edges







220x55mm 10mm Depth 304 43754E MB 53754E Integrated Cylinder Hole (Per Pair)





220x55mm 10mm Depth 304 43754 MB 53754 (Per Pair)







Concealed fixing 120x40mm 12mm Depth

 304
 43744

 MB
 53744

Use the edge pull to retrieve the

Ideal for heavier doors, the integrated ergonomic handle will assist in retrieving



DOOR EDGE PULL

door from its cavity. Concealed Fixing



# Joinery Handles



### **Joinery Handles**


## (304 SS

304 STAINLESS STEEL

High Grade 304 Solid Stainless Steel

Minimal 7.8% Nickle content for Strength, Durability and Corrosion resistance

Includes: 2 x 40mm M4 screws with snap off points



C - Screw Fixing Centres P - Projection

D - Diameter

#### 304 SSS Handle 1 - Square L C D P 48784 115 55 10x20 30 48785 160 100 10x20 30 48786 210 150 10x20 30 48787 260 200 10x20 30 48788 360 300 10x20 30 48789 460 400 10x20 30 48790 560 500 10x20 30 48791 660 600 10x20 30 48792 860 700 10x20 30 304 SSS Handle 4 - Round L C D 48750 75 74 10 30 48751 107 98 10 48753 170 171 10 30 48754 107 98 12 32 48755 137 126 12 32 48756 170 159 12 32 48757 300 287 12 32 48758 362 351 12 32 304 SSS Handle 8 - Square L C D Р 48800 100 80 6x15 30 48801 130 120 6x15 30 48802 160 140 6x15 30 48803 200 180 6x15 30 48804 300 280 6x15 30

48794 130 110 6x20 30 48795 140 6x20 30 160 48797 300 280 6x20 30 48798 400 380 6x20 30 48799 500 480 6x20 30

48711	260	210	12x12	40
48712	356	306	12x12	40
48714	452	402	12x12	40
48716	550	500	12x12	40
48717	650	600	12x12	40
48690	113	63	8x8	38
48691	146	96	8x8	38
48692	196	146	8x8	38
48693	260	210	8x8	38
48694	356	306	8x8	38
48695	452	402	8x8	38
48696	550	500	8x8	38
304				
SSS	-			
Handle			_	
sss Handle	L	C	D	Р
<u>SSS</u> Handle 48771	L	C 140	-	P 33
sss Handle	L	140	8	-
<u>SSS</u> Handle 48771	L 152	140 173	8	33
Handle 48771 48772	L 152 185	140 173 218	8 8	33 33
Handle 48771 48772 48773	L 152 185 240	140 173 218	8 8 8	33 33 33
Handle 48771 48772 48773	L 152 185 240	140 173 218	8 8 8	33 33 33
<ul> <li>SSS</li> <li>Handle</li> <li>48771</li> <li>48772</li> <li>48773</li> <li>48774</li> </ul>	L 152 185 240	140 173 218	8 8 8	33 33 33
SSS           Handle           48771           48772           48773           48774	L 152 185 240 326	140 173 218	8 8 8	33 33 33
<ul> <li>SSS</li> <li>Handle</li> <li>48771</li> <li>48772</li> <li>48773</li> <li>48774</li> </ul>	L 152 185 240 326	140 173 218 314	8 8 8	33 33 33 32
48771 48772 48773 48774 48774	L 152 185 240 326 9 L	140 173 218 314	8 8 8	33 33 33 32 P
48771 48772 48773 48774 48774	L 152 240 326 9 L 108	140 173 218 314 C 100	8 8 8 8	33 33 33 32 P 30

48779

48780

48781

508 500 10x20 30

304 SSS

Handle 2 - Square

L C D P

48708 113 63 12x12 40

48709 146 96 12x12 40





SB

Cabinet Pull Handle 98702 12 x 12mm x 236mm





TO ORDER MB "Ask us about **Black Powder Coated** Options for most handles in the range"

48731

48732

48733

48736

250 200

300 250

350

550

48737 650 600 12

300 12

500 12 30

30

### **Drawer Pull Handles**

MB 

TO ORDER 2 x 40mm M4 screws with snap off points





43293







CP SC 3852848528 CP SC 3852948529

CP 38534 48534 CP 48535

CP SC 38513 48513

PB CP SC

3286 33286 43286

96mm - centres

128mm - centres

96mm - centres

128mm - centres

96mm - centres

64mm - centres 96mm - centres 128mm - centres



 CP
 SC

 38521
 48521

 SC
 SC

 38522
 48522

CP 3852648526 CP 48527

9

CP SC 38509 48509

<u>sc</u> 48504

SC

20x20mm         PB         CP         SC           25x25mm         8662         8662         48662           30x30mm         PB         CP         SC           8664         38664         48664	25x25mm <u>CP</u> 38567
ICI.	0
25x25mm         CP           30x25mm         PVD         CP         SE           18678         38678         48678         SE           35x30mm         PVD         CP         SE           18679         38679         48679	25x25mm CP SC 38659 48659 32x32mm CP SC 38660 48660 35x33mm
25x25mm         PVD         CP         SC           186/4         36574         46674         46674           30x27mm         PVD         CP         SC           18675         38675         48675	8671         25x22mm         PVD 1867         CP 3667         SC 1867           8672         30x28mm         PVD 18672         CP 3672         SC 48672
011(	010
18x25mm Solid Brass SC 48854 21x27mm Aluminium CP SC 38655 48855	15x22mm Aluminium SC 48580 20x26mm Aluminium <u>SC</u> 48581
CP SC	Clean simple lines
25x30mm 38557 48557 35x40mm 25x 38558 48558	

116mm

166mm

190mm

Thickness: 1.5 mm

**SSS MB** 48200 58200

48201 58201

48202 58202







# Hinges



### Hinges



Sold in pairs

All hinges include stainless steel/brass phillips head wood screws

M5/12mm metal thread screws available (#9900)

PVD hinges are warranted against tarnishing for 50 years. A highly polished brass finish on a durable stainless steel base provides outstanding strength, long term durability without the worry of corrosion

### Square Knuckle Hinges



Brass Material 45120 100x75x2.5mm



55120 100x75x2.5mm

### **Standard Hinges**



316 SSS Brushed Stainless Steel 45316 100x75x2.5mm Fixed Pin 45317 100x100x2.5mm Fixed Pin 45318 100x75x2.5mm LoosePin



PVD **PVD Polished Brass** 15108 100x75x2.5mm Fixed Pin 15109 100x100x2.5mm Fixed Pin 15117 100x60x2mm LoosePin 15118 100x75x2.5mm LoosePin



Antique Copper ATQ 25008 100x75x2.5mm Fixed Pin olid Brass Material - Fire rating not applicable



85118 100x75x2.5mm LoosePin



304 SSS Brushed Stainless Steel 45105 85x60x2mm Fixed Pin 45107 100x60x2mm Fixed Pin 45108 100x75x2.5mm Fixed Pin 45109 100x100x2.5mm Fixed Pin 45115 85x60x2mm LoosePin 45118 100x75x2.5mm LoosePin



Satin Brass SB 95108 100x75x2.5mm Fixed Pin 95109 100x100x2.5mm Fixed Pin



MB Matt Black 55108 100x75x2.5mm Fixed Pin 55109 100x100x2.5mm Fixed Pin 55115 85x60x2mm LoosePin 55118 100x75x2.5mm LoosePin



Bright Polished Stainless Steel 35108 100x75x2.5mm Fixed Pin 35109 100x100x2.5mm Fixed Pin 35115 85x60x2mm LoosePin 35118 100x75x2.5mm LoosePin

### Heavy Duty Broad Butt Fixed Pin Hinges

Ideally suited for "wider/long" reach or to pass a revel or extended throw M5/12mm metal thread screws available (#9900) PVD hinges are warranted against tarnishing for 50 years. Sold in pairs







15112 100x125x3mm 15111 100x150x3mm 15110 100x175x3mm

### Heavy Duty 4 Ball Bearing Hinges Sold as Singles



304 SSS 45508 100x75x2.5mm





45509 100x100x2.5mm 304









PSS	
35112	100x125x3mm
35111	100x150x3mm
35110	100x175x3mm



MB	
_	

55112	100x125x3mm
55111	100x150x3mm
55110	100x175x3mm



304 SS BALL BEARING



35508 100x75x2.5mm

























35509 100x100x2.5mm PSS



55508 100x75x2.5mm MB



55509 100x100x2.5mm MB



#### Fast Fix Hirline Flush Hinges No rebating required

304 SS BALL BEARING Ideal for timber or aluminium applications RACE MECHANISM M5/12mm metal thread screws available (#9900) Heavy duty stainless steel ball bearings PVD hinges are warranted against tarnishing for 50 years. Sold in Pairs







45344 100x47x2.5mm

316 SSS





PSS

35144 100x47x2.5mm

15144 100x47x2.5mm





MB 55144 100x47x2.5mm

304 SSS 45143 89x35x2mm



```
Small Size Non-Bearing
304
SSS
```

45142 76x30x1.5mm

# Fast Fix Hirline Aluminium Hinges

Ideal for timber or aluminium applications M5/12mm metal thread screws available (#9900)

Heavy duty stainless steel ball bearings

#### Sold as Singles





45444 100x48x3.2mm 304 SSS

55444 100x48x3.2mm

### Long Body Hinges Heavy Duty 4 Ball Bearing Butt Hinge

Extended 150mm body and 3mm thickness for additional strength. Door Weight Recommendations: 2pcs/40kgs 3pcs/60kg

### Sold as Singles





45514 150x88x3mm 304 SSS

55514 150x88x3mm MB

### Radius Hinges

Radius corners for simple & easy installation using a router. Heavy Duty 2 Ball Bearing Hinges Door Weight Recommendations: 2pcs/40kgs 3pcs/60kg



304 SSS 45408 100x75x2.5mm 45409 100x100x2.5mm



MB 55408 100x75x2.5mm 55409 100x100x2.5mm





### Used for all residential or commercial toilet/bathroom door applications

Used for either LEFT or Right handed opening doors "Frame" and "Door" marked on the hinge to make installation simple and easy 12mm Pin for easy removal of the door Sold as Singles




45239 100x75x2.5mm 304 SSS

35239 100x75x2.5mm PSS

### Lift Off Hinge

Required for all domestic/commercial bathroom door installations 12mm pin length (lift off distance) for quick and easy lifting M5/12mm metal thread screws available (#9900) PVD hinges are warranted against tarnishing for 50 years. Sold in Pairs





RIGHT HAND





45130 89x60x2.5mm Left Hand 45131 89x60x2.5mm Right Hand

15130 89x60x2.5mm Left Hand 15131 89x60x2.5mm Right Hand

92

Sold in Pairs







### Universal Lift Off Hinge - All Toilet / Bathroom Doors






15239 100x75x2.5mm

55239 100x75x2.5mm MB

### Self Closing Rising Hinge

Suits all domestic/commercial bathroom installations M5/12mm metal thread screws available (#9900) Sold in Pairs



LEFT HAND

**RIGHT HAND** 



222	
45134	100x75x2.5mmLeft Hand
45135	100x75x2.5mmRight Hand



### Door & Window Bolts Flush Bolts Panic Bolts



### Flush, Panic, Door Window Bolts



Panic Bolt - Heavy Duty Reinforced solid saddle for additional strength Solid brass and heavy duty fixings Concealed fixing

	225mm	300mm	300mm Offset	450mm	600mm
PB	5025	5026	5046	5027	5028
CP	35025	35026	35046	35027	35028
SC	45025	45026	45046	45027	45028

0	0	0
	0	
0	0	0

### Accessories



Angle & Floor Keepers For flush /barrel bolts PB CP SC MB 4305 34305 44305 54305



**Cylindrical Ferrule Keepers** 10x10mm diameter СР 39849



Lockable High Security Flush Bolt 200x30mm

PB 5195 sc 45195

15mm Flush Bolt Depth 22mm Cylinder Recess depth Supplied with interchangable buttons for both hinged doors or stackable sliding doors C4 Cylinder profile can be re-keyed to match existing cylinders Heavy Duty Solid Brass material

#### Spring Loaded Barrel Bolt - Heavy Duty 20mm bolt throw

49121 85x42mm Push Button Release





Spring Loaded Window or Door Bolt CP 39112 40x42mm CP 39111 135x42mm

Concealed design & upgraded spring mechanism C4 cylinder key Spring loaded bolt release 31mm Projection





Flush Bolts



DURABLE

25mm bolt throw

Streamline Flush Mount Reverse Barrel Bolt Wide Mount - 45mm bolt throw

 
 PB
 ATQ
 CP
 SC
 MB

 5178
 25178
 35178
 45178
 55178
 100x32mm

150x32mm

 PB
 ATQ
 CP
 SC
 MB

 5179
 25179
 35179
 45179
 55179

Slim Mount - 34mm bolt throw

75x19mm

 
 PB
 CP
 SC
 MB

 5181
 35181
 45181
 55181

 PB
 CP
 SC
 MB

 5180
 35180
 45180
 55180

Concealed Reverse Barrel 12mm straight route rebate for easy installation

Bolt is neatly boxed at rear Smooth Slide button operation

150x19mm















PB ATQ CP SC 200x19mm 5183 25183 35183 45183

PB CP SC 5185 35185 45185 450x22mm

Reinforced guide behind bolt for additional strength Minimal rebate for installation Push button operation



Standard All Purpose Flush Bolt 25mm bolt throw 150x19mm

200x19mm

strength



Flat Keeper

For panic bolts PB CP SC MB 9854 39854 49854 59854



Barrel Bolt Raised Keeper Specify particular bolt PB ATQ CP SC MB 9854 29863 39863 49854 59854



Flat Keeper Specify particular bolt PB ATQ CP SC MB 9850 29850 39850 49850 59850







#### Heavy Duty Barrel Bolt

75x32mm	PB	ATQ	CP	SC	МВ	
	4267	24267	34267	44267	54267	
100x32mm	PB	ATQ	CP	SC	MB	
	4268	24268	34268	44268	3 54268	
150x32mm	PB	ATQ	CP	SC	MB	
	4269	24269	34269	44269	54269	
50mm extended bolt throw						
100x32mm	PB	ATQ	CP	SC	MB	

	4263	24263	34263	44263	54263
150x32mm			CP 34264		MB 54264

200x32mm	PB	ATQ	CP	SC	MB
	4265	24265	34265	44265	54265



#### Heavy Duty Barrel Bolt - Offset Bolt 20mm bolt throw

100x32mm	<b>РВ</b>	<b>ATQ</b>	СР	<u>sc</u>	<b>МВ</b>
	4271	24271	34271	44271	54271
150x32mm	<b>PB</b>	<b>ATQ</b>	<u>СР</u>	<u>sc</u>	MB
	4272	24272	34272	4427/	2 54272





Mini: 105x19mm

5029 Reinforced guide behind the face for additional Concealed Fixing Heavy Duty Flush Bolt 34mm bolt throw

150x19mm

PB ATQ CP SC 4444 24444 34444 44444

200x19mm

PB ATQ CP SC 4445 NA 34445 44445

Reinforced solid saddle for additional strength





# Door Stops Door Catches

### **Door Stops**

# Door Catch & Holding Mechanisms



Includes expansion bolt & wood screw fixing options

 Black items are plated to order

Wall Mount

Floor Mount



WH All Matt White Door Stops Are Plated To Order

#### Hands Free Foot Operated Door Pull

100x75x30mm Counter sunk screws for a professional finish Includes rubber stop for additional protection.







Wall Mounted

Round Tube Length: 75mm / Diameter: 17mm



Floor Mounted Flat Top Heigh: 40mm / Dia: 30mm / Rubber 34mm PSS 33714 43714 53714



Floor Mounted Square . Height: 45mm / 22x22mm 
 PB
 PSS
 304 SSS
 MB\*

 3710
 33710
 43710
 53710



Floor Mounted Half Moon Risen/Extended Base -12mm Diameter: 45mm





Floor Mounted Square Length: 40mm SC 43718 53718



Square Length: 85mm / Diameter: 22x22mm







Floor Mounted Round Top Height: 50mm / Dia.30mm / Rubber 40mm PSS 33713 43713 MB° 33713 43713 53713



Floor Mounted Heavy Rubber 40mm Height: 40mm / Diam. 30mm PB PSS 33715 43715 53715



Floor Mounted Half Moon Diameter: 45mm





Floor Mounted Triangle Diameter: 45mm





Door/Skirt Mounted Door Catch Heavy Duty Catch: 55mm - projection Base: 65mm - projection





Door/Skirt & Floor Mounted Door Catch Floor Mount Heavy Duty Catch: 32mm - projecti . Base: 25x25mm

PB CP SC 3321 33321 43321



Magnetic Catch Length: 45mm Width: 34mm



<u>sc</u> 43727





Width: 34mm 
 PB
 CP
 SC

 3722
 33722
 43722



Magnetic Catch Square Design - Floor or Wall Mounted Height: 75mm Base: 48x48mm





Foot Operated Door Catch Door Mounted Height/Width: 145x27mm Throw: 55mm

CP SC 34099 44099





Door/Skirt Mounted Door Catch Heavy Duty Catch: 38mm - projection Base: 65mm - projection

PB CP SC MB 3322 33322 43322 53322





Magnetic Catch Raised base for elevated catching height Length: 45mm Width: 38mm







Door Closer with Adjustable Closing Tension Spring loaded - Modern concealed fix Height/Width: 115x30mm Recommended for internal doors

<u>sc</u> 43730





# Numerals Alphabet Signage

### Numbers and Alphabet

### FONT: Arial Numbers 0-9 0123456789 4891+[#0-9] 130mm 316 SSS 4892+[#0-9] 150mm 316 SSS 4893+[#0-9] 225mm SSS 012345678 FONT: Arial Numbers 0-9 3891+[#0-9] 130mm PSS 3892+[#0-9] 150mm PSS FONT: Arial Numbers 0-9 0123456789 5891+[#0-9] 130mm MB 5892+[#0-9] 150mm MB 5893+[#0-9] 225mm MB

# **ABCDEFGHIJKLM NOPQRSTUVWXYZ**

FONT: Arial Letters A-Z

# **ABCDEFGHIJKLM NOPQRSTUVWXYZ**

58104+[A-Z] 150mm MB

# abcd abcd abcd

FONT: Arial Letters - 55mr 304 SSS  $48100 = a \frac{304}{888}$ 48101 = b 304 SSS

48102 = c

104

FONT: Arial Letters - 55mm					
38100 = a	PSS	38101 = b	PSS		
38102 = c	PSS	38103 = d	PSS		

a			
FONT: Arial	Letters	- 55mm	
58100 = a	МВ	58101 = b	MB
58102 = c	MB	58103 = d	МВ

# Bathroom Door Signage



FONT: Times New Roman Alphabet A-7 PB 3064+[A-Z] 75mm PB 3065+[A-Z] 150mm

PVD

PVD

PVD

PVD

PVD

PVD

PVD

Numbers 0-9

1884+[#0-9]

Numbers 0-9

1887+[#0-9] 75mm

1888+[#0-9] 100mm


1881+[#0-9] 25mm

1882+[#0-9] 50mm


1883+[#0-9] 75mm

1885+[#0-9] 150mm

100mm



5		-
	0	L



SSS	48103 = d	

	R	

48104+[A-Z]	150mm	SSS	

316 SS

316 STAINLESS STEEL



### Acrylic black bathroom signage.


- 150mm Height
- Male | Female | Disable
- Includes aligning template. (glue no included)
- ▲ 58130 1 Set includes three figures



Notes:

8





**Distributed by:** G D Rutter Ltd 127 Diana Drive, Glenfield, Auckland sales@gdrutter.co.nz

### www.superiorhardware.co.nz

www.austyle.com.au Service Supply & Support Since 1982



Quality is never an accident; it's the result of intention, innovation & skillful execution.