



# ARCHITECTURAL DOOR HARDWARE

---

2020/21

[www.sylvan.co.nz](http://www.sylvan.co.nz)

# ARCHITECTURAL DOOR HARDWARE

---

2020/21

## ABOUT GD RUTTER

---

G D Rutter Ltd was founded in 1930 by George Daniel Rutter, as an importing agent specialising in builder's hardware. Three generations and 90 years later G D Rutter Ltd has grown to be one of New Zealand's leading suppliers of door and cabinet hardware to the hardware trade under the Sylvan brand name.

Throughout the 90 years of business there has always been a strong family influence with the emphasis on customer satisfaction and product quality. Now G D Rutter Ltd is managed by the 3 grandsons of George Daniel, who have grown up with hardware products and being involved in the business from a very young age. This early involvement in hardware products has ensured that the leadership of G D Rutter Ltd has strong product and technical knowledge together with superior customer service, these qualities set our company apart from many other hardware suppliers in New Zealand.

Designing and sourcing products that suit your environment is a key aspect of the Sylvan brand. Our design and engineering team puts a great deal of effort into ensuring the products we supply meet New Zealand's building standards and their intended purpose.

Our range of hardware products are available from all leading hardware stores, throughout New Zealand. Don't hesitate to contact us if you have any queries regarding any product within the Sylvan range.

**GDRutter**  
Limited





---

## CONTENTS

4-5	Entrance Pull Handles
6-9	Entrance Kits, Push / Pull Plates, Digital Lock
9	Grip Sets
10-15	Lever Handle Furniture
16	Escutcheons
18	Privacy Turns
20-23	Lever Handle Sets
24	Deadbolts
25-26	Knobsets
27	Door Knobs
28-29	Mortice Locks
30	Latches, Bolts
31	Striker Plates, Spindles, Installation Tools, French Door Kit
32	Cylinders
33-35	Door Stops
36	Flush Pulls
37	Cavity sliders
38	Adapter Plates, Flush Bolt, Door Guard
39	Magnetic Catch, Signs
40	Banister Brackets
41	Lever Furniture Aluminium Doors
42	ISEO Panic Exit Devices
43	ISEO Smart Cylinders
44	ISEO 3 Point Locking
45	ISEO Mortice Locks
46	ISEO Striker Plates, Armoured Lock
47	ISEO Midrail Locks, ISEO Gate Lock
48	ISEO Cylinders
49	ISEO Door Closers
50-51	Index & Notes

---

### CARING FOR YOUR SYLVAN PRODUCT:

- The plated finishes of polished brass, gold, black, black nickel plate, are all classified as soft finishes.
- It is essential that no cleaning products are sprayed onto items that have a black finish as cleaning products will damage the finish.
- Polished Brass and Stainless steel Sylvan products do require a little bit of TLC from the homeowner, to ensure the finish remains in it's purchased condition. Sea salt, dust, oil from hands and environmental conditions can cause specs or discolouration to the surface. It is essential that these surfaces are cleaned regularly (every 3 months) with a soft cloth and mild soapy water. Or for Stainless steel products use a stainless steel cleaner and lanolin to protect its surface
- Sometimes over time installed items will work themselves loose, it is essential that when you see any back plate or screw becoming loose that you tighten them up. To tighten always turn in a clockwise motion. If your hardware is not kept secure it can put pressure on the set and cause internal damage, this is especially important for door knobs and handles.

# EXPRESSION DOOR PULLS

Sylvan pull handles



XP8 Oval  
XP9 Round

- Black Carbon Fibre
- Overall length: 600mm
- Screw centres: 420mm
- 316 Marine Grade Stainless Steel posts and fittings suitable for outside use
- Pillar Finishes: SS, BO



WARRANTY\*  
**10**  
YEARS  
FINISH



XP5

- Available in Jarrah or Kwila
- Overall length: 540mm
- Screw centres: 250mm
- 316 Marine Grade Stainless Steel posts and fittings suitable for outside use
- Pillar Finishes: SS, BO

WARRANTY\*  
**10**  
YEARS  
FINISH



XP6

- Available in Jarrah or Kwila
- Overall length: 600mm, 1200mm
- Screw centres: 420mm, 720mm, 1020mm (3 pillars)
- 316 Marine Grade Stainless Steel posts and fittings suitable for outside use
- Pillar Finishes: SS, BO

WARRANTY\*  
**10**  
YEARS  
FINISH



# STANDL.

Hands-free foot-operated door opener

DO.SS

- Durable Design
- Hands-Free Operation
- Fasteners Included
- Easy Installation
- Matte Stainless Steel



## STAINLESS STEEL PULL HANDLES

Sylvan pull handles



DP1

- Diameter: 32mm
- Overall length: 520mm
- Screw centres: 400mm
- Finish: 304 Grade BSS

WARRANTY\*  
**5**  
YEARS  
FINISH



DP6.600  
DP6.900

- Oval tube bar pull
- Overall length: 600mm, 900mm
- Screw centres: 420mm, 720mm
- Finish: 316 Grade BSS

WARRANTY\*  
**10**  
YEARS  
FINISH



DP3

- Diameter: 25mm
- Overall length: 430mm
- Screw centres: 400mm
- Finish: 304 Grade BSS

WARRANTY\*  
**5**  
YEARS  
FINISH



DP4

- Rectangular tube pull
- Profile: 40mm x 20mm
- Overall length: 600mm
- Screw centres: 580mm
- Finish: 316 Grade BSS, Black finish via special order

WARRANTY\*  
**10**  
YEARS  
FINISH



DP5

- Rectangular tube bar pull
- Profile: 40mm x 20mm
- Overall length: 600mm
- Screw centres: 450mm
- Finish: 316 Grade BSS, Black finish via special order

WARRANTY\*  
**10**  
YEARS  
FINISH



DP7

- Offset rectangular tube pull
- Profile: 40mm x 20mm
- Overall length: 600mm
- Screw centres: 580mm
- Finish: 316 Grade BSS

WARRANTY\*  
**10**  
YEARS  
FINISH



## ENTRANCE KITS

Kit Includes, Mortice Lock, Euro Cylinder, 68mm Double Turn, Escutcheon



**FDKIT1**

Kit Includes:

- Door Pull DP1
- Round Escutcheon I-ESC4E
- Round Double Turn I-TTD4
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

**WARRANTY\***  
**10** YEARS MECHANICAL  
**5** YEARS FINISH



**FDKIT3**

Kit Includes:

- Door Pull DP3
- Round Escutcheon I-ESC4E
- Round Double Turn I-TTD4
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

**WARRANTY\***  
**10** YEARS MECHANICAL  
**5** YEARS FINISH



**FDKIT4**

Kit Includes:

- Door Pull DP4
- Square Escutcheon I-ESC5E
- Square Double Turn I-TTD5
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall
- Black finish available via special order

**WARRANTY\***  
**10** YEARS MECHANICAL  
**5** YEARS FINISH



**FDKIT5**

Kit Includes:

- Door Pull DP5
- Square Escutcheon I-ESC5E
- Square Double Turn I-TTD5
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

**WARRANTY\***  
**10** YEARS MECHANICAL  
**5** YEARS FINISH



**FDKIT6**

Kit Includes:

- Door Pull DP600
- Round Escutcheon I-ESC4E
- Round double turn I-TTD4
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

**WARRANTY\***  
**10** YEARS MECHANICAL  
**5** YEARS FINISH



## DIGITAL LOCKS

Ideal for entrance doors, garages, sheds, shared spaces.

### S201.S

- Mechanical digital entrance lock suitable for residential use.
- Easy code programmable lock
- Supplied with a 60mm backset
- Door thickness 35-55mm
- Not suitable for use in high salt and sulphur environments.
- Finish: Satin Chrome Plate

### WARRANTY\*

**5**  
YEARS  
MECHANICAL

**3**  
YEARS  
FINISH



## PUSH AND PULL PLATES

304 grade stainless steel, suitable for commercial or residential use.

### PP1



### PP2



### PP3



### PP4




- Produced in 1.8mm Stainless Steel
- 300 x 100 x 1.8mm face fixed.
- Embossed wording.
- Solid stainless steel handle
- Includes all stainless steel fixing screws

### WARRANTY\*

**10**  
YEARS  
FINISH

## ENTRANCE KITS

Sylvan entrance kits are suitable for use with Sylvan Door Pull collection.



HSI-TTD5K

HSI-TTD4K



FDKIT4

Outside

The kit includes the following items:

- Euro escutcheon - square or round
- 5 pin euro cylinder and turn (6 pin available on request)
- Overall length: cylinder 68mm for 5 pin
- Euro profile mortice lock S785: 60mm backset, 85mm key and turn separation, 21.5mm single throw deadbolt, reversible latch bolt, key retraction of latch
- Double thumb turn with 27mm knob
- Maximum door thickness: 45mm
- Plates: 56.5 x 56.5mm square option, 56.5mm diameter round option
- Finish: SNP, Black via Special Order

Refer page 4 & 5 for pull handle options. See page 19 for details on double turns.

## CENTRO ENTRANCE KITS

All Centro lever handle shapes are available in kit form.



Outside

The kit includes the following items:

- Centro selected lever handle on a long backplate
- 5 pin euro cylinder and turn (6 pin available on request)
- Overall length: cylinder 68mm for 5 pin
- Euro profile mortice lock S785: 60mm backset, 85mm key separation, 21.5mm single throw deadbolt, reversible latch bolt, key retraction of latch
- Maximum door thickness: 45mm
- Finish: SNP



Inside

Inside

Refer page 10-14 for Centro lever handle options.

All Centro lever shapes are available in kit form.

Asti:	HSI-90EK
Monza:	HSI-91EK
Savona:	HSI-92EK
Como:	HSI-93EK
Andora:	HSI-94EK
Murano:	HSI-95EK
Trento:	HSI-85EK



ENTRANCE SETS



EH805

- Material: Zinc
- 270mm overall for handle
- 170mm b/c
- 51mm hole prep
- Finish: SNP



EH710

- Material: Brass
- 295mm overall for handle
- 208mm b/c
- Finish: SCP



EH711

- Material: Zinc
- 284mm overall
- Finish: SCP, Black



\*Please refer to p51 for black finishes warranty information

- Operation: Latch operated by thumb lever from outside. Round knob inside
- Security: Heavy duty double cylinder deadbolt with reinforced security rose

- Door thickness: 34-57mm • Backset: Adjustable 60 or 70mm
- EH710 & EH711 require 54mm holes through door required for deadbolt and handleset
- EH805 requires a 51mm hole through door.

CENTRO ENTRANCE KITS

All Centro lever handle shapes are available in kit form.



The kit includes the following items:

- Centro selected lever handle on a small backplate
- Euro escutcheon (round or square)
- 5 pin euro cylinder and turn (6 pin available on request)
- Overall length: 68mm for 5 pin
- Euro profile mortice lock S785: 60mm backset, 85mm key and turn separation, 21.5mm single throw deadbolt, reversible latch bolt, key retraction of latch
- Door thickness: 32-45mm
- Plates: 56.5 x 56.5mm square option, 56.5mm diameter round option
- Finish: SNP

Refer page 10-14 for Centro lever handle options.

All Centro lever shapes are available in kit form.

- Asti: HSI-90RK
- Monza: HSI-91RK
- Savona: HSI-92RK
- Como: HSI-93RK
- Andora: HSI-94RK
- Murano: HSI-95RK
- Trento: HSI-85RK



HSI-93R KIT



HSI-95R KIT



# SAVONA

I-92RG

NEW



Graphite Finish

No handing required

I-92R



I-92BK



Privacy option

# COMO

I-93R



No handing required

I-93BK



Privacy option

# ANDORA

I-94R



No handing required

I-94BK



Privacy option

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 16 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets

- Door thickness 30-50mm
- All curved lever dummy trim handles are handed – refer page 50 for handing diagram
- Dummy trim can be installed back to back for use on French doors
- Back plate shape can be changed (special order)
- Finish: SNP - all handle shapes, Graphite - Savona, Asti only

WARRANTY\*  
10 YEARS MECHANICAL  
7.5 YEARS FINISH

42mm B/C  
20mm DIA

## SAVONA



## COMO



## ANDORA



### Lever keyhole

- Lever keyhole stamped
- Use with Sylvan S717, S795 Lever key mortice locks, either 2" or 3" lock body
- 57mm spacing between spindle and lever keyhole
- Finish: SNP

### Euro keyhole

- Euro profile keyhole stamp
- Use with Sylvan S735 euro key mortice lock, either 2" or 3" lock body
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 48mm spacing between spindle and euro keyhole
- Finish: SNP

### Euro keyhole 85mm

- Euro profile keyhole stamp
- Use with Sylvan S785, S726 euro mortice lock
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 85mm spacing between spindle and euro keyhole
- Finish: SNP

### Unpunched

- Unpunched backplate suitable for use in passage situation
- Use with Sylvan MLS latch - 60 or 70mm
- Finish: SNP
- All handles overall backplate measurements: 45mm (w) x 240mm (h)

# ASTI

I-90RG



Graphite Finish  
No handing required

I-90R



I-90BK



Privacy option

# MONZA

I-91R



Handing required for Dummy Trim only.  
Refer to back cover for handling diagram.

I-91BK



Privacy option

# MURANO

I-95R



Handing required for Dummy Trim only.  
Refer to back cover for handling diagram.

I-95BK



Privacy option

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 16 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets
- Door thickness 30-50mm
- All curved lever dummy trim handles are handed - refer page 50 for handling diagram
- Dummy trim can be installed back to back for use on French doors
- Back plate shape can be changed (special order)
- Finish: SNP - all handle shapes, Graphite - Savona, Asti only

WARRANTY\*  
10 YEARS MECHANICAL  
7.5 YEARS FINISH

42mm B/C  
20mm DIA

## ASTI



I-90L



I-90E



I-90E.85



I-90UP

## MONZA



I-91L



I-91E



I-91E.85



I-91UP

## MURANO



I-95L



I-95E



I-95E.85



I-95UP

### Lever keyhole

- Lever keyhole stamped
- Use with Sylvan S717, S795 Lever key mortice locks, either 2" or 3" lock body
- 57mm spacing between spindle and lever keyhole
- Finish: SNP

### Euro keyhole

- Euro profile keyhole stamp
- Use with Sylvan S735 euro key mortice lock, either 2" or 3" lock body
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 48mm spacing between spindle and euro keyhole
- Finish: SNP

### Euro keyhole 85mm

- Euro profile keyhole stamp
- Use with Sylvan S785, S726 euro mortice lock
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 85mm spacing between spindle and euro keyhole
- Finish: SNP

### Unpunched

- Unpunched backplate suitable for use in passage situation
- Use with Sylvan MLS latch - 60 or 70mm
- Finish: SNP
- All handles overall backplate measurements:  
38mm (w) x 239mm (h)

## TRENTO

I-85R



Handing required for Dummy Trim only.  
Refer to back cover for handling diagram.

I-85BK



*Privacy option*

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 16 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets
- All curved lever dummy trim handles are handed - refer page 50 for handling diagram
- Dummy trim can be installed back to back for use on French doors
- Finish: SCP

**WARRANTY\***

<b>10</b> YEARS MECHANICAL	<b>7.5</b> YEARS FINISH
----------------------------------	-------------------------------

**42mm B/C**

**20mm DIA**



I-85L



I-85E



I-85E.85



I-85UP

### Lever keyhole

- Lever keyhole stamped
- Use with Sylvan S717, S795 Lever key mortice locks, either 2" or 3" lock body
- 57mm spacing between spindle and lever keyhole
- Finish: SCP

### Euro keyhole

- Euro profile keyhole stamp
- Use with Sylvan S735 euro key mortice lock, either 2" or 3" lock body
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 48mm spacing between spindle and euro keyhole
- Finish: SCP

### Euro keyhole 85mm

- Euro profile keyhole stamp
- Use with Sylvan S785, S726 euro mortice lock
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 85mm spacing between spindle and euro keyhole
- Finish: SCP

### Unpunched

- Unpunched backplate suitable for use in passage situation
- Use with Sylvan MLS latch - 60 or 70mm
- Finish: SCP



PORTO

I-21PS



I-21BK



No handing required

*Privacy option*

- 304 Grade Stainless Steel lever
- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- 60mm latch is included with all Passage & Privacy sets
- Dummy trim can be installed back to back for use on French doors
- Entrance Kits also available
- Finish: Stainless Steel

WARRANTY\*  
10 YEARS MECHANICAL 7.5 YEARS FINISH



LAGOS

I-20BK



I-20PS



WARRANTY\*  
10 YEARS MECHANICAL 7.5 YEARS FINISH

WARRANTY\*  
10 YEARS MECHANICAL 2 YEARS FINISH



*Privacy option*

- 304 Grade Stainless Steel lever
- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- 60mm latch is included with all Passage & Privacy sets
- Dummy trim can be installed back to back for use on French doors
- Entrance Kits also available
- Finish: Stainless Steel, Black

No handing required



## ESCUTCHEONS

Sylvan escutcheons are suitable for use with Centro Lever Handles and Stainless Steel Lever Handles

WARRANTY\*  
10 YEARS MECHANICAL  
7.5 YEARS FINISH

I-ESC6 O



Oval Euro Keyhole Escutcheon

- Diameter: 51mm
- Finish: SNP

I-ESC6 E



Round Euro Keyhole Escutcheon

- Diameter: 51mm
- Use with Sylvan euro cylinder S725
- Finish: SNP

I-ESC8 E



Euro Profile Keyhole Escutcheon

- Diameter: 55mm
- Use with Sylvan Stainless Steel lever handles, Lagos
- Finish: SS, Black via special order

I-ESC4 O



Oval Cylinder Keyhole Escutcheon

- Diameter: 56.6mm
- Finish: SCP, SNP

I-ESC4 E



Euro Profile Keyhole Escutcheon

- Diameter: 56.6mm
- Use with Sylvan euro cylinder S725
- Finish: SCP, SNP, Black via special order

I-ESC4 L



Lever Keyhole Escutcheon

- Diameter: 56.6mm
- Finish: SCP, SNP

I-ESC5 O



Oval Cylinder Keyhole Escutcheon

- Backplate: 56.6 x 56.6mm
- Finish: SNP

I-ESC5 E



Euro Profile Keyhole Escutcheon

- Backplate: 56.6 x 56.6mm
- Use with Sylvan euro cylinder S725
- Finish: SNP, CP, Black via special order

I-ESC5 L



Lever Keyhole Escutcheon

- Backplate: 56.6 x 56.6mm
- Finish: SNP

I-ESC9 E



Euro Profile Keyhole Escutcheon

- Diameter: 55mm x 55mm
- Use with Sylvan Stainless Steel lever handles, Porto
- Finish: SS, Black via special order

I-ESC7 E



Square Euro Keyhole Escutcheon

- Backplate: 51 x 51mm
- Use with Sylvan euro cylinder S725
- Finish: SNP





















I-ESC7.O



Square Oval Keyhole Escutcheon

- Backplate: 51 x 51mm
- Finish: SNP

**CENTRO COMPONENTS CHART**

SQUARE ROSE	 <p>I-92R I-93R I-94R</p>	<p>Lever Key</p>  <p>I-92L I-93L I-94L</p>	<p>Euro Key</p>  <p>I-92E I-93E I-94E</p>	<p>Euro 85 Spacing</p>  <p>I-92E.85 I-93E.85 I-94E.85</p>	<p>Unpunched</p>  <p>I-92UP I-93UP I-94UP</p>
ROUND ROSE	 <p>I-90R I-91R I-95R I-85R</p>	 <p>I-90L I-91L I-95L I-85L</p>	 <p>I-90E I-91E I-95E I-85E</p>	 <p>I-90E.85 I-91E.85 I-95E.85 I-85E.85</p>	 <p>I-90UP I-91UP I-95UP I-85UP</p>
MORTICE LOCKS	 <p>S791/2.5" &amp; S791/3"      S721/46</p> <p>S785/45 S785/50 S785/60 S785/70      S731/2.5"</p>	 <p>S717/2.5" &amp; S717/3"</p> <p>S795/2.5" &amp; S795/3"</p>	 <p>S735/2.5" &amp; S735/3"</p>	 <p>S726/46 &amp; S726/51</p> <p>S785/45 S785/50 S785/60 S785/70</p>	
EURO CYLINDERS	 <p>S725TT/S725DBL/S725BKTT</p>		 <p>S725TT/S725DBL S725BKTT</p>	 <p>S725TT/S725DBL S725BKTT</p>	
ESCUTCHEONS	 <p>I-ESC5 L      I-ESC5 E</p> <p>I-ESC4 L      I-ESC4 E</p>				
MORTICE LATCH	 <p>MLS708 &amp; MLS608</p>				 <p>MLS708 &amp; MLS608</p>

WARRANTY\*  
**10** YEARS MECHANICAL  
**7.5** YEARS FINISH

## PRIVACY FOR BATHROOMS

I-TT4



### Bathroom Privacy Turn

- Thumb turn and emergency release
- Diameter: 56.6mm
- Spindle: 6mm
- Concealed screw fixing
- Finish: SCP and SNP

I-TT5



### Bathroom Privacy Turn

- Thumb turn and emergency release
- Backplate: 56.6 x 56.6mm
- Spindle: 6mm
- Concealed screw fixing
- Finish: SNP

I-TT6



### Bathroom Privacy Turn

- Turn and emergency release
- Diameter: 51mm
- Spindle: 6mm
- Finish: SNP

I-TT7



### Bathroom Privacy Turn

- Turn and emergency release
- Backplate: 51 x 51mm
- Spindle 6mm
- Finish: SNP

## THUMB TURNS

I-TT8



### Round Turn

- Spindle: 6mm star design
- Backplate: 51mm
- Finish: SNP

I-TT9



### Square Turn

- Spindle: 6mm star design
- Backplate: 51mm
- Finish: SNP

WARRANTY\*  
**10** YEARS MECHANICAL  
**7.5** YEARS FINISH

**PRIVACY KITS FOR BATHROOMS**

**HSI-BATHSET**



**Kit Includes:**  
**I-TT4** Round turn/ backplate and emergency release; (56.6mm)  
**I-BATH 2** 60mm latch, Spindle: 6mm, if 70mm latch required order HSI-BATHSET4  
 Finish SNP, SCP

**HSI-BATHSET 2**



**Kit Includes:**  
**I-TT5** Round turn, square backplate and emergency release; (56.6mm)  
**I-BATH 2** 60mm latch, Spindle: 6mm, if 70mm latch required order HSI-BATHSET5  
 Finish SNP

**HSI-BATHSET 6**



**Kit Includes:**  
**I-TT6** Round turn/ backplate and emergency release; (51mm)  
**I-BATH 2** 60mm latch, Spindle: 6mm

**HSI-BATHSET 7**



**Kit Includes:**  
**I-TT7** Round turn, square backplate and emergency release; (51mm)  
**I-BATH 2** 60mm latch, Spindle: 6mm

**DOUBLE TURN SETS**

**I-TTD4**



**Double turn, round backplate**

- Spindle: 8mm
- Backplate: 56.6mm
- Finish: SNP

**I-TTD5**



**Double turn, square backplate**

- Spindle: 8mm
- Backplate: 56.6mm
- Finish: SNP, Black via special order

# ROCKFORD

## Tubular Leverset

NEW



▲ BK E16BK

▲ PS E16PS ▲ DT E16DT

- Securefix technology provides added strength
- Passage, Privacy & Dummy trim
- Concealed screw fixing
- E16 complies with NZ disability standards
- Standard 54mm hole prep
- 60-70mm adjustable latch
- Dummy trim handles can be installed back to back for use on French doors
- Easy to install
- Finish: Satin Nickel Plate



# BEAUMONT

## Tubular Leverset


NEW



▲ BK E15BK

▲ PS E15PS ▲ DT E15DT

- Securefix technology provides added strength
- Passage, Privacy & Dummy trim
- Concealed screw fixing
- Standard 54mm hole prep
- 60-70mm adjustable latch
- Dummy trim handles can be installed back to back for use on French doors
- Easy to install
- Finish: Satin Nickel Plate





# NEWTON

## Tubular Leverset

WARRANTY\*  
10 YEARS MECHANICAL  
7.5 YEARS FINISH

C4  
ALIKE

54 mm DIAMETER



ET E39ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30-45mm
- Matching deadbolt available EDB6
- Backset: Adjustable 60 or 70mm
- Handing: Not required

- Dummy Trim can be back to back for use on French doors
- Low rotation latch. Solid construction
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP



BK E39BK



PS E39PS DT E39DT

# OAKLAND

## Tubular Leverset

WARRANTY\*  
10 YEARS MECHANICAL  
7.5 YEARS FINISH

C4  
ALIKE

54 mm DIAMETER



BK E46BK



PS E46PS DT E46DT



ET E46ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30-45mm
- Matching deadbolt available EDB5
- Backset: Adjustable 60 or 70mm
- Handing: Only required for Dummy Trim

- Dummy Trim can be back to back for use on French doors
- Low rotation latch. Solid construction
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SNP

Handing required. Refer page 50 for handling

# HOUSTON

## Tubular Leverset

WARRANTY\*  
 10 YEARS MECHANICAL | 5 YEARS FINISH

C4  
 ALIKE

54mm DIAMETER



▲ BK E37BK



▲ ET E37ET



▲ PS E37PS ▲ DT E37DT

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30-45mm
- Backset: Adjustable 60 or 70mm
- Handing: Not required
- Dummy Trim can be back to back for use on French doors

- Low rotation latch
- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP

# DENVER

## Tubular Leverset

WARRANTY\*  
 10 YEARS MECHANICAL | 5 YEARS FINISH

C4  
 ALIKE

54mm DIAMETER



▲ ET E60ET



▲ BK E60BK



▲ PS E60PS ▲ DT E60DT

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30-45mm
- Backset: Adjustable 60 or 70mm
- Handing: Not required
- Dummy Trim can be back to back for use on French doors

- Low rotation latch
- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP

# RICHMOND

## Tubular Leverset

WARRANTY*		C4	54mm DIAMETER
10 YEARS MECHANICAL	5 YEARS FINISH		
		ALIKE	



▲ ET E50ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30-45mm
- Backset: Adjustable 60 or 70mm
- Handing: Not required
- Dummy Trim can be back to back for use on French doors

- Low rotation latch
- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP



▲ BK E50BK



▲ PS E50PS ▲ DT E50DT

# SEATTLE

## Cylindrical Leverset

WARRANTY*		C4	54mm DIAMETER
10 YEARS MECHANICAL	5 YEARS FINISH		
		ALIKE	



▲ BK E30BK



▲ PS E30PS ▲ DT E30DT



▲ ET E30ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 28-43mm
- Backset: 60 & 70mm latches supplied
- Handing: Refer to handing diagram below
- Chassis: Threaded on both sides for easy alignment and solid fixing

- Push button and panic release on Entrance and Bathroom inner lever handle
- Handing required for Entrance/Bathroom and Dummy Trim - refer page 50 for handing diagram
- Finishes: SCP or PB

*NB: Entrance Set image is outside view left-hand*

Handing required. Refer page 50 for handing

## DEADBOLTS

Double or single cylinder

EDB1



### Single Cylinder Deadbolt

- Operation: Key from outside. Thumb turn inside
- Backset: Adjustable 60 or 70mm
- Door thickness: 35-50mm
- Keying: May be keyed in pair with Sylvan entrance sets
- Finishes: PB, SS

WARRANTY*		
10 YEARS MECHANICAL	5 YEARS FINISH	

EDB2



### Double Cylinder Deadbolt

- Operation: By key from either side
- Backset: Adjustable 60 or 70mm
- Door thickness: 35-45mm
- Keying: May be keyed in pair with Sylvan entrance sets
- Comes complete with one-way fixing screws to prevent the lock from being removed from the inside
- Finishes: AB, PB, SS

WARRANTY*		
10 YEARS MECHANICAL	5 YEARS FINISH	

EDB5



### Single Cylinder Deadbolt

- Operation: Key from outside. Thumb turn inside
- Designed to match Oakland Entrance
- Backset: 60 or 70mm
- Hardened steel roller
- Door thickness: 35-50mm
- Concealed screw fixing
- Finish: SNP

WARRANTY*		
10 YEARS MECHANICAL	7.5 YEARS FINISH	

EDB6



### Single Cylinder Deadbolt

- Operation: Key from outside. Thumb turn inside
- Designed to match Newton Entrance
- Backset: 60 or 70mm
- Hardened steel roller
- Door thickness: 35-50mm
- Concealed screw fixing
- Finish: SCP

WARRANTY*		
10 YEARS MECHANICAL	7.5 YEARS FINISH	

# QUEST

## Cylindrical Knobset

WARRANTY\*  
10 YEARS MECHANICAL  
5 YEARS FINISH



▲ ET E71ET ▲ DC E71DC

- Functions: Entrance, Double Cylinder Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 29-45mm
- Backset: 60 & 70mm latches supplied
- Handing: Reversible



▲ PS E71PS ▲ DT E71DT

- Dummy Trim fixed from back of door
- Chassis: Threaded on both sides for easy alignment and solid fixing
- Push button and panic release on Entrance and Bathroom inner knob



▲ BK E71BK

- Finishes: SS, PB or AB  
(Combination set not available in AB)

# VITA

## Cylindrical Knobset

WARRANTY\*  
10 YEARS MECHANICAL  
5 YEARS FINISH



▲ ET E91ET ▲ DC E91DC

- Functions: Entrance, Double Cylinder Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 29-45mm
- Backset: 60 & 70mm latches supplied
- Handing: Reversible



▲ PS E91PS ▲ DT E91DT

- Dummy Trim fixed from back of door
- Chassis: Threaded on both sides for easy alignment and solid fixing
- Push button and panic release on Entrance and Bathroom inner knob



▲ BK E91BK

- Finishes: SS or PB

### Knobset Functions

▲ ET Entrance Lock

Latch bolt operated by key from outside, by knob inside. Inside handle always active. Deadlocking latch bolt.

▲ DC Entrance Lock

Both knobs locked and unlocked by key. Deadlocking latch bolt.

▲ BK Bathroom Lock


For bedroom, bathroom or toilet. Inside push button locks outer knob. Coin operated emergency release.

▲ PS Passage Latch

For interior doors not requiring locking. Knobs are always active.

▲ DT Dummy Trim

Fixed knob for wardrobe and cupboard doors. Use with roller bolt, magnetic catch or similar.





## GLOBE

### Tubular Knobset

WARRANTY*		C4 ONLY	54mm DIAMETER
7 YEARS MECHANICAL	3 YEARS FINISH		



▲ ET UE67ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 32-50mm
- Backset: 60 or 70mm latch



▲ PS UE67PS ▲ DT UE67DT

- Dummy Trim fixed from back of door
- Supplied in boxed packs only. Not available in blister pack



▲ BK UE67BK

- Turn button to operate entrance and bathroom functions from the inside
- Finishes: SS

## AMOS

### Tubular Knobset

WARRANTY*		Small Spindle Hole Compatible	10 ↔ 30mm DIAMETER
10 YEARS MECHANICAL	5 YEARS FINISH		



▲ BK E61BK

- Functions: Bathroom, Passage, Dummy Trim
- Door thickness: 30-50mm
- Suitable as a replacement for door



▲ PS E61PS

- hardware with existing spindle holes from 10 to 30mm
- Backset: 60-70mm adjustable
- Dummy Trim can be back to back



▲ DT E61DT

- for use on French doors
- Finish: SS



METAL



LS76

Die-cast hammered Bronze knob and base  
Die-cast White knob and base



I-51R

Heavy duty Brass knob  
Finish: SCP, PB  
Not suitable for UF54 kit.

*Note: Latches supplied separately (see page 30).*

WOOD



LSS5RIM

Rimu knob, Gold Plated or Antique Brass base

LSSPINAB

Pine knob, Antique Brass base

LSSWHITEG

White knob, Gold Plated base



LS7

Rimu knob, Gold Plated or Antique Brass base



LS1

Rimu knob, Florentine Bronze base



LS9

White knob, Gold Plated or White base

*Note: All knobs shown on this page have concealed screw fixing, are supplied with a 7.6mm spindle. Latch - MLS or ML7 sold separately, see page 30.*

## MORTICE LOCKS

S717/2.5"  
S717/3"



- ### 3 Lever Mortice Lock
- Backsets: 45mm & 58mm Brass deadbolt operated by key from either side
  - Latch bolt by knob or lever from either side
  - 96 Key differs
  - Electrobrassed or NP forend & striker plate



S785



- ### Euro Profile Mortice Lock
- Backset: 45, 50, 60, 70mm
  - 85mm key and turn separation
  - 21.5mm single throw deadbolt
  - Reversible latch bolt
  - Key retraction of latch
  - Strike box available on request
  - SS forend

S795/2.5"  
S795/3"



- ### 5 Lever Security Mortice Lock
- Backsets: 45 & 58mm
  - Latch bolt reversible without opening case
  - Deadbolt throws 16mm with one key turn
  - 1000 Key differs
  - Anti pick cartridge
  - Brass or SS forend & striker plate

S735/2.5"  
S735/3"



- ### Euro Profile Mortice Lock
- Backsets: 45mm & 58mm
  - Latchbolt reversible without opening case
  - Deadbolt throws 16mm with one key turn
  - Brass or SS forend & striker plate

S791/2.5"  
S791/3"



- ### 5 Lever Security Mortice Deadlock
- Backsets: 45 & 58mm
  - Bolt throw 16mm with one key turn
  - 1000 key differs
  - Antipick cartridge
  - SS forend & striker plate

S731/2.5"  
S731/3"



- ### Euro Profile Security Mortice Deadlock
- Backsets: 45 and 58mm
  - Bolt throws 16mm with one key turn
  - Cylinders sold separately, refer page 30
  - Brass or SS forend & striker plate

S721/46



### Euro Profile Deadlock

- Euro profile cylinder deadlock
- Backset: 30mm
- Bolt throw: 15mm with one key turn
- Latchbolt: SS forend

S726/46  
S726/51



### Euro Profile Mortice Sashlock

- Backsets: 30 or 35mm
- Latchbolt: Brass, reversible without opening the case
- Special feature: Latchbolt can be withdrawn by an extra key turn
- Deadbolt: Brass head, Steel latch
- Forend: SS

S720/40



### Euro Cylinder Roller Bolt Mortice Lock

- Backset: 40mm  
85mm spindle or cylinder separation
- Forend: SS

S735R



MADE IN EUROPE

### Rebated Forend Kit

- Suits: S735 euro profile lock & S795 5 lever mortice lock
- Finishes: Satin Brass, Nickel Matt

S717R



### Rebated Forend Kit

- Suits: S717 3 lever mortice lock
- Finishes: PB, CP

S757R



### Rebated Forend Kit

- Suits: S757 euro cylinder Roller bolt lock
- Finish: SS

S726R



### Rebated Forend Kit

- Suits: S726 and S785 euro cylinder mortice locks
- Finish: SS

MLR1



### Mortice Latch or Deadbolt Rebated Forend Kit

- Suits: Houston, Denver, Newton, Oakland, Quest, Richmond, Seattle, Vita, MLS latches EDB1, EDB2, EDB5 & EDB6 deadbolts,
- Finish: SCP

## LATCHES & BOLTS,

ML7



### Mortice Latch

- 70mm backset
- 7.6mm square follower
- Produced in high strength nylon
- Finishes: Brown, White

MLS



### Mortice Latch

- 60 or 70mm backsets
- 7.6mm or 8mm square follower
- Finishes: AB (70mm only), PB, SNP

PB



### Privacy Bolt

- 60 or 70mm adjustable backsets
- Produced in high strength nylon
- Knob Finishes: GP, Pine, Rimu, SCP, White, SNP

RB601



### Roller Bolt

- Externally adjustable roller ball
- Finishes: CP, PB, SCP

EC606.SS



### Tubular Latch

- Passage Latch
- Adjustable 60-70mm
- Finish: SS

EC606ET.SS



### Tubular Latch

- Entrance Latch
- Adjustable 60-70mm
- Finish: SS

MLSM



### Magnetic Latch

- 60mm backset
- Tools available
- Adjustable striker
- Smooth latch operation
- Privacy option available MLSMBK
- Tubular Privacy bolt available
- Finish: SS

MLS127



### High Rotation Tubular Extension Latch

- Suitable for use with Sylvan Globe knobsets
- 127mm backset
- 8mm square follower
- Finish: SS

I-BATH 2  
I-BATH 70



### Bathroom Bolt

- 60 or 70mm backsets
- 6mm square follower
- Use with Sylvan privacy turns on page 18
- Forend finish: BSS

EC60  
EC70



### Cylindrical Latch

- 60 or 70mm backsets
- Suits Sylvan cylindrical entrance, bathroom & passage sets
- Deadlocking latch available for entrance set
- Finishes: PB, SS

ECH70



### Heavy Duty Cylindrical Latch

- 70mm Backset
- Finish: Stainless Steel

ECH60-SS



### Heavy Duty Cylindrical Latch

- 60mm Backset
- Finish: Stainless Steel

EC90  
EC127



### Extension Latch

- 90 or 127mm backsets
- Suits Sylvan cylindrical entrance sets
- Finishes: 90mm CP 127mm PB, SS

**STRIKER PLATES**

**STRIKE785**



**Stainless Steel Extended Strike Plate**

- Overall: 50mm width
- Suitable for use with Sylvan S785 euro mortice lock
- Strike plates are handed
- Finish: SS

**ECSTRIKE**



**Striker Plate**

- Overall: 45mm
- Height: 57mm
- Finishes: SS, PB

**ECSTRIKET**



**Striker Plate**

- Overall: 39mm
- Finish: SS

**STRIKER52**



**Striker Plate**

- Overall: 50mm
- Height: 57mm
- Finish: SS

**STRIKERT46**



**Striker Plate**

- Overall: 46mm
- Height 70mm
- Finish: SS

**STRIKE735**



**Striker Plate**

- Overall: 60mm
- Height: 176mm
- For use with: 735 and 795 locks
- Finish: SS

**SPINDLES**



**SPLS135**

**SPLSM**

**SPL**

**SPW**

**Spindles**

- All spindles are 7.6 x 7.6mm
- SPLS135, SPLSM steel material
- SPL,SPW Plastic material

**INSTALLATION TOOLS**

**MCFB24**



**Forester Bit**

- 24mm forstner bit for use with the Sylvan magnetic catch. MCI

**Strike plate adjusting screw driver**

**Magnetic Latch Centering Tool**

**FRENCH DOOR KIT**

**S785FDKIT**

**Mortice Lock Kit for French Doors**

- Kit includes
- S785 Euro cylinder mortice 45mm lock
- S726R Rebate kit
- Euro Cylinder and turn 5 pin 68mm





## EURO CYLINDERS

S725TT



### Euro Profile Single Cylinder & Thumb Turn

- Available in 5 or 6 pin cylinders
- 5 pin, 60mm or 68mm overall length
- 6 pin, 70mm overall length
- Finishes: SNP, PB, CP



S725DBL



### Euro Profile Double Cylinder

- Available in 5 or 6 pin cylinders
- 5 pin, 60mm or 68mm overall length
- 6 pin, 70mm overall length
- Finishes: SNP



S725BKTT



### Euro Profile Cylinder Bathroom Turn & Emergency Release

- 70mm overall length
- Finishes: SNP

S725/40  
S725/45



### Euro Profile Half Cylinder

- 6 pin, 40mm or 45mm overall length
- Finishes: SNP

S725TT/40  
S725TT/45



### Euro Profile Half Cylinder & Turn

- 40mm or 45mm overall length
- Finishes: SNP



ISEO products are also available from Sylvan and GDR Architectural, to see ISEO Euro Cylinders refer to page 48.



DOOR STOPS

DS20



- 25.4mm high
- Floor mounted
- Finish: SCP

DS6



- 26.3mm high
- Floor mounted
- Finishes: CP, SCP

DS9  
DS9A



- DS9 46mm high
- DS9A 70mm high
- Floor mounted
- Finish: SA

DS25



- 38mm high
- Floor mounted
- Finish: SNP

DS26



- 40mm high
- Floor mounted
- Finish: SNP

DS30



- 70mm high
- Floor mounted
- Finish: SA

DS33



- 40mm high
- Floor mounted
- Secured by Dynabolt
- Finish: SNP, Black

DS34



- 60mm high
- Floor mounted
- Secured by Dynabolt
- Finish: SNP

DS36



- 38mm high
- Floor mounted
- Secured by Dynabolt
- Finish: SNP, Black

## DOOR STOPS

DS22



- 76mm high
- Floor mounted
- Suitable for external use
- Finish: 304 Grade SS

DS7



- 76.6mm length
- Wall mounted
- Socket hold-back
- Finishes: CP, PB, SCP

DS3



- 92.5mm length including magnet
- Wall mounted
- Magnetic hold-back
- Finishes: CP, PB, SCP

DS4



- 75.5mm length
- Wall or Floor mounted
- Magnetic hold-back
- Finishes: CP, PB, SCP

DS32



- 75mm length
- Wall or Floor mounted
- Magnetic hold-back
- Finishes: SS

DS15



10  
PACK

- 75mm length
- Wall or Floor mounted
- Square door stop (includes both rubber stopper options)
- Finish: 304 Grade SS
- Trade 10 Pack available

DS1



- 75mm length
- Wall mounted
- 3 screw fixing
- Finishes: CP, PB, SCP

DS28



- 108mm length
- Wall mounted
- Finish: SNP

**DOOR STOPS**

DS27



- 84mm length
- Wall mounted
- Finish: SNP, Black
- Trade 10 Pack available

DS14



- 75mm length
- Wall mounted
- Finish: 304 Grade SS

DS29



- 110mm length
- Wall mounted
- Finish: SS

DS21



- 76mm length
- Wall mounted
- Suitable for external use
- Finish: 304 Grade SS

DS24

10  
PACK



- 77mm length
- Wall mounted
- Finish: SNP
- Trade 10 Pack available

DS31



- 85mm high
- Wall mounted
- Finish: SS

DS19



- 52.8mm high
- Packer (for use with DS17)

DS16



- 98mm length including catch
- External wall mounted
- Finish: SCP

DS17



- 91.6mm high including catch
- External floor mounted
- Finish: SCP

DS18



- 64mm length including catch
- External small wall mounted
- Finish: SCP

## FLUSH PULLS

SFP2



- 65mm overall
- Finish: BSS

SFP6.L  
SFP6.S



- 49.3mm or 41.2mm overall
- Finish: SNP

SFP12



- 29mm overall
- Sliding door finger pull
- Finish: SNP

SFP4



- 102mm overall
- Finish: BSS

SFP15



- 102mm overall
- Finish: BSS

SC11.100



- 110mm overall
- Finishes: SNP

SFP16



- 108mm between centres
- Finish: BSS

SFP3



- 108mm between centres
- Finish: BSS

SFP8



- 146mm between centres
- Finish: SNP

SFP11



- 101mm overall
- Finish: SNP

SFP7



- 101mm between centres
- Finishes: CP, PB, SNP

SFP



- 100mm between centres
- Finishes: AB, CP, PB, SCP

SFP5.L  
SFP5.S



- 46mm or 32mm overall
- Finish: SNP

CAVITY SLIDERS

SFP14



- 160mm and 224mm overall
- Passage Kits available: 2x Pulls 1x End Pull SFP14.SKIT - SFP14.MKIT
- Finish: SNP, Black

SDPPS



For Cavity Doors Passage Set

- Finishes: CP, PB, SS

SDPBK



For Cavity Doors Bathroom Set

- Finishes: CP, PB, SS

C1



Cavity Slider Set

- 54mm hole required
- Passage and Privacy options available
- Flush design for total door retraction
- Suits door thickness 32mm to 42mm
- Finish: 304 grade stainless steel

C2



Cavity Slider Set

- 54mm hole required
- Passage and Privacy options available
- Flush design for total door retraction
- Suits door thickness 32mm to 42mm
- Finish: 304 grade stainless steel

COMPONENTS

UF4



UF5



Adapter plate to cover 54mm hole

- For use with Sylvan Centro
- Round: 65mm diameter, 2 holes at 42mm B/C
- Square: 65mm square
- Sold in pairs
- Not suitable for use with Centro Privacy option
- Finish: SS



UF5 installed on Centro Andora lever handle

UF54



Through-bolt fixing kit

FLUSH BOLT

BOLT.SS



Bolt.SS

- 304 Grade Stainless Steel
- Bolt throw 15mm
- Width 25mm
- Length 150mm
- Finishes: SS, PB

DOOR GUARD

DG1



- Height adjustable packers
- Rubberised arm for smooth operation
- Ergonomically designed
- Designed for New Zealand requirements
- Finish: SNP



## MAGNETIC CATCH



**MC1**

### Adjustable strength 23mm magnetic catch

- Can be used anywhere a roller catch would normally be fitted
- No latch noise when opening door
- Completely concealed when door closed
- Easy fit stainless steel housing cup makes installation quick and tidy
- Power adjustment packers supplied
- Note: 24mm Forstner bit available if required MCFB24



**MC2**

### Adjustable strength 23mm magnetic catch

- Can be used anywhere a roller catch would normally be fitted
- No latch noise when opening door
- Completely concealed when door closed
- Note: 24mm Forstner bit available if required MCFB24

**MC4**



### Mini 12mm concealed magnetic catch

- Ideal for use on cabinets
- Easy fit housing cups
- Self adhesive stainless steel cover plates
- Drill in rubber buffers
- Suitable for use on door thicknesses of 16mm to 30mm

**MC3**



### Extra heavy duty concealed magnetic catch

- Suitable for use on doors that require secure closing without latching
- Includes stainless steel power adjustment packers
- Easy fit housing cups
- Self adhesive stainless steel cover plates
- Drill in rubber buffers
- Note: additional packers are available MC3Pack

**MC5**



### Magnetic Catch with free forstner bit - 8 pack

- Can be used anywhere a roller catch would normally be fitted
- No latch noise when opening door
- Completely concealed when door closed

## SIGNS

- 100 x 100mm
- Brushed Stainless Steel
- Supplied with self-adhesive tape to secure

MADE IN EUROPE

**SN1**



**SN2**



**SN3**



**SN4**



**SN5**



**SN6**



**SN7**



## BANISTER BRACKETS

BB5



### Wall Mounted Banister Bracket

- Designed: In New Zealand for New Zealand homes
- Construction: 316 Grade Stainless Steel
- Finish: SS

BB1



### Wall Mounted Banister Bracket

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: SCP

BB3



### Wall Mounted Banister Bracket

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: CP, SCP, Black, SNP

BB6



### Upright Banister Bracket

- Designed: In New Zealand for New Zealand homes
- Construction: 316 Grade Stainless Steel
- Finish: SS

BB2



### Upright Banister Bracket

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: SCP

BB4



### Upright Banister Bracket

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: CP, SCP, SNP

## LEVER HANDLES


For Aluminium Doors



- All lever handle shapes available with Euro key 85mm spindle separation, unpunched passage function and patio function
- Standard backplate size 202mm long suits ISEO 741 lock
- 240mm backplate suits ISEO 781 and 723 Performa 3 point lock
- Reversible handing
- Ball assisted cassettes included for smooth and positive lever action
- Stainless steel through bolt fixing screws
- Concealed screw fixing on outside of door
- Grub screw locked split spindle for added strength
- Designed in New Zealand for New Zealand and Australian building requirements
- Finishes: SNP, Black, White, Grey
- Other powder coat colours are available on request




PANIC EXIT DEVICES




**ISEO Push Panic Exit**

- Made in Italy
- Modular, reversible
- Lateral locking
- Steel latch with self-locking function
- Suitable for fire doors
- Pre-assembled top/bottom rods
- Caps for top/bottom holes
- Nylon spacer for external control
- Latch keepers included


MADE IN EUROPE




**SINGLE POINT**




**TWO POINTS**



**THREE POINTS**





**ONE POINT + TWO POINTS**



**TWO POINTS + TWO POINTS**


unrebated


**ISEO Base Panic Exit**

- Made in Italy
- Modular, reversible
- Lateral locking
- Steel latch with self-locking function
- Suitable for fire doors
- Pre-assembled top/bottom rods
- Caps for top/bottom holes
- Nylon spacer for external control
- Latch keepers included


MADE IN EUROPE




**SINGLE POINT**



**TWO POINTS**




**THREE POINTS**



**ONE POINT + TWO POINTS**


(A) (B)



**TWO POINTS + TWO POINTS**

(A) (B)

unrebated





## SMART CYLINDERS



82K39OVAL

MADE IN EUROPE

### Libra Smart Oval Cylinder

- Made in Italy
- Stand alone electronic oval cylinder
- Fits Oval profile cylinder locks
- No wiring required
- 3 year manufacturer's warranty
- Battery life 2 years
- Passage function friendly
- Able to communicate with smart phone, RFID cards and electronic key tags
- Range of communication between phone and cylinder: 10 metres
- Suitable for exterior doors IP66 rated
- Stores up to 300 users
- Able to communicate with most iPhone and Samsung smart phones
- Free app available (ISEO ARGO)



82K

MADE IN EUROPE

### Libra Smart Euro Cylinder

- Made in Italy
- Stand alone electronic euro cylinder
- Fits European profile cylinder locks
- No wiring required
- 3 year manufacturer's warranty
- Battery life 2 years
- Passage function friendly
- Able to communicate with smart phone, RFID cards, electronic key tags
- Range of communication between phone and cylinder 10 metres
- Suitable for exterior doors IP66 rated
- Stores up to 300 users
- Cylinder body lengths available are 70, 80 and 90mm
- Able to communicate with most iPhone and Samsung smart phones
- Free app available (ISEO ARGO)
- Available with black reader and Satin Nickel turn



3 POINT LOCKING




- Performa Lock - Wooden Doors 723  
 Performa Lock - Aluminium Doors 7235
- Face plate length 2300mm but can be cut to length
  - Minimum length 1700mm
  - Three strike plates included with the lock
  - Tested to over 200,000 opening/closing cycles under load
  - 85mm cylinder spacing
  - Deadbolts operated by cylinder
  - Easy locking - gearing within main lock provide easy operation
  - Low friction chamfered deadbolts help maintain weather seal compression for better thermal insulation and energy v saving
  - Can be operated by double turn kit rather than lever furniture
  - Flat faceplate versions suitable for timber doors (30, 40, 50 and 60mm backset)
  - U channel faceplate versions suitable for aluminium doors (30, 40, 50 and 60mm backset)




Images show "U" faceplace

Performa Lock for Wooden Doors



Lock flat faceplate 24 X 3		
Backset	A	L
30	27	42,5
40	37	52,5
50	47	62,5
60	57	73

Performa lock for Aluminium doors



Lock "U" faceplate 24 X 5		
Backset	A	L
30	24	39,5
40	34	49,5
60	54	70



## SECURITY HARDWARE

741



### Iseo Open Case Mortice Lock Suitable for Aluminium Frames

- Reversible latch
- Available in 20, 25, 30, 35mm backsets
- 85mm cylinder spacing
- Operated with optional euro profile cylinder
- Front plate 238 x 22 x 3mm
- Deadbolt has a 15mm throw
- Stainless Steel faceplate
- Includes strike plate

781



### Iseo Swing Bolt Mortice Lock for Aluminium Doors

- Rotating/drop deadbolt with a 24mm throw
- Available in 25, 30, 35mm backsets
- Reversible and adjustable latch bolt 10 to 15mm
- 85mm euro cylinder spacing
- Front plate 290 x 24 x 3mm
- Stainless Steel faceplate
- Strike plate sold separately, item code 781Strike

7814



### Iseo Parrot Beak Mortice Lock for Sliding Doors

- Available in 30, 35mm backsets
- Hook deadbolt has 8mm clearance with a 18mm throw
- Front plate 290 x 24 x 3mm
- Stainless Steel faceplate
- Strike plate sold separately, item code 7814Strike

78147



### Iseo Parrot Beak Mortice Lock for Sliding Doors

- Available in 35mm backset
- Hook deadbolt has 14mm clearance with a 24mm throw
- Front plate 290 x 24 x 3mm
- Stainless Steel faceplate
- Strike plate sold separately, item code 7814Strike

749



### Mortice Lock

- Available in 30mm backset
- Reversible latch
- 85mm cylinder spacing
- Front plate 238 x 22 x 3mm
- Stainless Steel faceplate
- For use on doors requiring passage mode
- Can be used for patio function and for use on doors requiring auto latching ie, pool areas
- Strike plate sold separately, item code 781Strike

7640



### Roller Catch

- Adjustable protrusion of roller catch
- Heavily sprung
- Strike plate included
- Finish: NP

200N



### Iseo closed case mortice lock suitable for aluminium and wooden frames

- Reversible latch
- Available in 40 mm backset
- 85mm cylinder spacing
- Operated with optional euro profile cylinder
- Front plate 238 x 22 x 2.7 mm
- Double throw deadbolt -20mm throw
- Includes striker plate
- Stainless steel finish

79111



### Iseo Euro cylinder rotating deadbolt lock

- Single through swing bolt
- Bolt throw 26mm
- 40mm backset
- 92mm handle cylinder separation
- Reversible latch bolt with key retraction of the latch
- Forend size 326 x 22mm

SECURITY HARDWARE



Armoured Lock

- Cylinders not included
- Latch reversible
- 30mm bolt throw
- 63mm Backset
- Adjustable Rod Length - 455-675mm
- Optional deadbolts available to make three point locking

STRIKER PLATES



Striker plate for the 723 Performa divator

- Height:132mm
- Width:24mm
- Finish: SS
- Iseo ref: 38220



Striker Plate for 7814 Parrot Beak lock

- Height: 132mm
- Width: 22mm
- Finish: SS
- Iseo ref: 38021



Striker Plate for Perfoma lock

- Height: 180mm
- Width: 24mm
- Finish: SS
- Iseo ref: 38230



Striker plate for 781 Swing bolt

- Height: 180mm
- Width: 24mm
- Finish: SS
- Iseo ref: 38030



Strike plate for Performa roller kit

- Height: 179mm
- Width: 20mm
- Finish: SCP
- Iseo ref 33092



Strike plate for 741 lock, -this item is included with the lock

- Reversible
- Finish: SS

## GATE LOCK & MID RAIL LOCK

52031 R  
52032 L



Image shows right hand

### Iseo Stainless Steel Electric Gate Lock

- Suitable for exterior gates
- Backset 60mm
- Lock body produced in 304 grade Stainless Steel
- Optional Stainless Steel mounting plate also available
- Left and right options available not reversible
- Self locking latch bolt
- Inside red button can be deactivated by inside cylinder for use on an open gate
- Replacement solenoids available
- 12 volt AC, 15 wattsv

704



### Mid Rail Lock 704

- 80mm backset to oval cylinder
- Suitable for aluminium doors with mid rail
- Operated by oval cylinder
- Deadbolt with 9mm throw with built-in latchbolt
- Alternative to knobset being fitted at 127mm

## MID RAIL LOCK AND HANDLE SET

704HANDLE



### Mid Rail Lock and Handle Set

- 304 grade stainless Lagos lever handle
- Iseo Mid Rail 80mm lock
- Mini oval 5 pin double cylinder - 54.6mm length
- Stainless steel back plate

## CYLINDERS & ESCUTCHEONS

8289



### F5 5 pin Euro Cylinder and Turn

- 70.6mm cylinder length
- F5 key blanks available
- Finish: NP

8189



### F6 6 pin Euro Cylinder and Turn

- 70.7mm cylinder length
- F6 key blanks available
- Finish: NP

8209



### F5 Euro Double Cylinder

- 70.6mm cylinder length
- Key alike available
- F5 key blanks available
- Finish: NP

8199



### F6 Euro Double Cylinder

- 70.7mm cylinder length
- Key alike available
- F6 key blanks available (21059)
- Finish: NP

8350



### Mini 5 pin Oval Cylinder and turn

- 54.6mm cylinder length
- Suits ISEO 704 mid rail lock
- Key blanks available
- Finish: NP, PB

8300



### Mini 5 Pin Oval Double Cylinder

- 54.6mm cylinder length
- Suits ISEO 704 mid rail lock
- Key blanks available (20159)
- Finish: NP, PB

4202



### ISEO Escutcheon

- Euro escutcheon
- Finish: Anodised Aluminium

4203



### ISEO Escutcheon

- Euro escutcheon
- Finish: SS

**HYDRAULIC DOOR CLOSERS**

IS110



37410 Hydraulic Door Closer IS110, standard arm

- Hydraulic door closer, can be fitted to all types of doors, up to 100kg in weight and 1100mm in width
- Adjustment: closing speed, latching action or silent closing, back check
- RV force: EN 2-4
- Finish: Silver, Black

IS20



Hydraulic Door Closer IS20, standard arm

- Hydraulic door closer, can be fitted to all types of doors, up to 950mm in width
- Quiet closing action
- RV force EN 2-3
- Finish: Silver, Black

IS60



Hydraulic Door Closer IS60, standard arm

- Hydraulic door closer, can be fitted to all types of doors, up to 1100mm in width
- Quiet closing action
- RV force EN 2-4
- Finish: Silver, Black

IS310



37610 ydraulic Door Closer IS310, standard arm

- Hydraulic door closer, can be fitted to all types of doors, up to 160kg in weight and 1400mm in width
- Adjustment: closing speed, latching action or silent closing, back check, delayed closing action
- Force: EN 3-6
- Finish: Silver, Black

IS65



Hydraulic Door Closer, slide track

- Hydraulic door closer, can be fitted to all types of doors, up to 950 mm in width
- Quiet closing action
- RV force EN 3
- Finish: Silver, Black







**INDEX**

<b>Adapter Plates</b>	38
<b>Banister Brackets</b>	40
<b>Cavity Sliders</b>	37
<b>Lever Handles</b>	10-15
Andora	10 - 11
Asti	12 - 13
Como	10 - 11
Lagos	15
Monza	12 - 13
Murano	12 - 13
Porto	15
Savona	10 - 11
Trento	14
<b>Deadbolts</b>	24
<b>Digital Lock</b>	7
<b>Door Guard</b>	38
<b>Door Stops</b>	33 - 35
<b>Double Turns</b>	19
<b>Entrance Kits</b>	6-9
<b>Entrance Set</b>	9
<b>Escutcheons</b>	16
<b>Euro Cylinders</b>	32
<b>Flush Bolt</b>	38
<b>French Door Kit</b>	31
<b>Installation Tools</b>	31
<b>Knobsets</b>	
Amos	26
Globe	26
Quest	25
Vita	25
<b>Knobs</b>	
Wooden, Metal	27
<b>Latches, Bolts</b>	30
<b>Lever Handles for Aluminium Doors</b>	
Leo	41
Orion	41
Virgo	41
<b>Lever Handle Sets</b>	
Beaumont	20
Denver	22
Houston	22
Newton	21
Oakland	21
Richmond	23
Rockford	20
Seattle	23
<b>Magnetic Catch</b>	39
<b>Mortice Locks Sylvan</b>	28-29
<b>Privacy Bolts</b>	30
<b>Privacy Turns</b>	18 - 19
<b>Pull Handles</b>	4 - 6
<b>Push and Pull Plates</b>	7
<b>Rebate Kits</b>	29
<b>Signs</b>	39
<b>Spindles</b>	31
<b>Striker Plates</b>	31
<b>ISEO Cylinders</b>	48
<b>ISEO Door Closers</b>	49
<b>ISEO Gate Lock</b>	47
<b>ISEO Libra Smart</b>	43
<b>ISEO Mid Rail Lock</b>	47
<b>ISEO Mortice Locks</b>	45
<b>ISEO Panic Hardware</b>	42
<b>ISEO 3 Point Locking</b>	44


**Keyed Alike**

*This product is available with a keyed alike option*


**C4 Keyway**

*This keys supplied with this product are C4*


**Combination Set Option**

*This product can be purchased in a pack with an Entrance Set and double cylinder deadbolt keyed alike*


**Builders Pack**

*This product can be purchased in cardboard box packs enabling access for trade application*


**Builders Pack Only**

*This product can only be purchased in cardboard box packs (not available in blister pack)*


**Buy NZ Made**

*This product has been produced in New Zealand*


**Fire Rated**

*This product has a fire rating as standard to specific doors, please refer to door manufacturer for more information.*


**Spindle Diameter**

*This product is able to be used in existing spindle holes from 10 to 30mm in diameter.*


**Spindle Diameter**

*This product is able to be used in 54mm diameter hole.*


**Spindle Diameter**

*This product is able to be used in 20mm diameter hole.*


**Warranty**

- *Subject to conditions and exclusions. See [www.sylvan.co.nz](http://www.sylvan.co.nz) for full warranty details.*

**Special Finishes**

- *\*2 Year Finish Warranty applies to Black products for normal use, excludes scratching or damage from cleaning products.*

AB	Antique Brass
BO	Black Oxide
B	Black
BSS	Brushed Stainless Steel
CP	Chrome Plate
G	Graphite
GP	Gold Plate

PB	Polished Brass
PSS	Polished Stainless Steel
SA	Satin Aluminium
SCP	Satin Chrome Plate
SNP	Satin Nickel Plate
SS	Satin Stainless Steel



**GDRutter**  
Limited

 **sylvan**<sup>®</sup>

 **GDR**  
Architectural

**Head Office:**  
Box 100183, North Shore City,  
Auckland 0745,  
New Zealand

**Physical Address:**  
127 Diana Drive,  
Glenfield,  
Auckland 0627,  
New Zealand

**Ph:** +64 9 444 5359  
**FreeFax:** 0800 479 5826  
**Email:** sales@gdrutter.co.nz  
**FreePhone:** 0800 279 582

[www.sylvan.co.nz](http://www.sylvan.co.nz)