



Architectural

Door Hardware

2027



NZ OWNED
EST. 1930

www.sylvan.co.nz

Architectural

Door Hardware

2027

GDRutter
Limited

About GD Rutter

G D Rutter Ltd was founded in 1930 by George Daniel Rutter, as an importing agent specialising in builder's hardware. Three generations and 94 years later G D Rutter Ltd has grown to be one of New Zealand's leading suppliers of door and cabinet hardware to the hardware trade under the Sylvan brand name.

Throughout the 96 years of business there has always been a strong family influence with the emphasis on customer satisfaction and product quality. Now G D Rutter Ltd is managed by the 3 grandsons of George Daniel, who have grown up with hardware products and being involved in the business from a very young age. This early involvement in hardware products has ensured that the leadership of G D Rutter Ltd has strong product and technical knowledge together with superior customer service, these qualities set our company apart from many other hardware suppliers in New Zealand.

Designing and sourcing products that suit your environment is a key aspect of the Sylvan brand. Our design and engineering team puts a great deal of effort into ensuring the products we supply meet New Zealand's building standards and their intended purpose.

Our range of hardware products are available from all leading hardware stores, throughout New Zealand. Don't hesitate to contact us if you have any queries regarding any product within the Sylvan range.

NZ OWNED
EST. 1930



SL36E
Digital Smart Lock

- For Wooden and Aluminium doors
- 30, 35, 40, 45, 50, 60 & 70mm locks sold separately
- Door thickness 35-65mm
- IP55 rated
- Data capacity: Password: 150, Card: 200, Fingerprint: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Finish: Black, Silver



WARRANTY*
2 YEARS MECHANICAL
2 YEARS ELECTRONIC



SL36SLIDE
Smart Sliding-Door Lock Kits

- SL36 Smart-Lock*
- SLHDL.E Short Handles
- 28mm (SL36SLIDE28.B) or 35mm (SL36SLIDE35.B) mortice double-hook lock
- Stainless Steel adjustable striker plate designed for NZ homes
- IP55 Rating
- Data capacity: Password: 150, Card: 200, Fingerprint: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Finish: Black, Silver



WARRANTY*
2 YEARS MECHANICAL
2 YEARS ELECTRONIC



SL39E
Smart Dead Lock

- For Wooden and Aluminium doors
- Adjustable deadbolt 60-70mm
- Door thickness 35-55mm
- Hole prep size 54mm
- IP55 rated
- Data capacity: Password: 150, Card: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Locked by pressing the # key
- Finish: Black, Silver



WARRANTY*
2 YEARS MECHANICAL
2 YEARS ELECTRONIC



SL40E
Digital Smart Lock

- For Wooden and Aluminium doors
- Adjustable latch 60-70mm
- Door thickness 35-60mm
- Hole prep size 54mm
- IP55 rated
- Data capacity: Password: 150, Card: 200, Fingerprint: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Finish: Black, Silver



WARRANTY*
2 YEARS MECHANICAL
2 YEARS ELECTRONIC





SL41E
Digital Smart Lock

- For Wooden and Aluminium doors
- 60mm Mortice Lock included
- Door thickness 35-60mm
- IP55 rated
- Data capacity: Password: 150, Card: 200, Fingerprint: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Finish: Black, Silver



Smart Lock Mortice Locks

Single throw deadbolt

- Stainless Steel Lock Body
- Reversible latch bolt
- Single turn throws the bolt
- Suitable for use with the 8mm spindles
- Lift the handle to throw the bolt
- Anti rattle latch
- Only suitable for use with the Sylvan SL36E and SL41E Smart Locks, they will not operate a conventional mechanical lever handle.



SL30.SS	Euro Mortice Lock Electronic lock 30mm
SL35.SS	Euro Mortice Lock Electronic lock 35mm
SL40.SS	Euro Mortice Lock Electronic lock 40mm
SL45.SS	Euro Mortice Lock Electronic lock 45mm
SL50.SS	Euro Mortice Lock Electronic lock 50mm
SL60.SS	Euro Mortice Lock Electronic lock 60mm
SL70.SS	Euro Mortice Lock Electronic lock 70mm



SL42E
Digital Smart Lock

- For Wooden and Aluminium doors
- Supplied with 60-70mm adjustable backset bolt
- Door thickness 35-60mm
- 54mm hole prep
- IP55 rated
- Data capacity: Password: 150, Card: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Built-in panic exit system allows fast egress in an emergency.
- C4 keyway
- Finish: Black



SL43E
Digital Smart Lock

- For Wooden and Aluminium doors
- Supplied with 60-70mm adjustable latch
- Door thickness 35-60mm
- 54mm hole prep
- IP55 rated
- Data capacity: Password: 150, Card: 200
- Working Voltage: 6V/4x AA Batteries (not included)
- Built-in panic exit system allows fast egress in an emergency.
- C4 keyway
- Finish: Black



**Energizer®
Batteries
Now Available**

We recommend using Energizer® Batteries for all Sylvan smart lock products. These batteries are now available to be purchased directly from us.



ENMPAAA.4PK
Energizer Maxplus Bulk AAA 4pk (suitable for SL46E)



ENMPAA.4PK
Energizer Maxplus Bulk AA 4pk (suitable for smart locks)



EN123
Energizer 123 1pk (suitable for SL44E Keypad)



ENCR2
Energizer CR2 1pk (suitable for all Smart Cylinders)

SL46E

Digital Smart Lock

- Digital smart leverset suitable for residential use on interior doors
- Adjustable 60-70mm latch included
- Door thickness 35-60mm
- Data capacity: Fingerprint: 200, Password: 150, Card: 200
- Working Voltage: 6V/4x AAA Batteries
- Hidden key override
- Finish: Silver



SL47E

Digital Smart Lock

- Suitable for use on inward and outward opening doors or doors that are latched back
- Light commercial
- IP66 Rated
- Supplied with an adjustable 60-70mm latch but will operate with a Sylvan Smart mortice lock*
- Mortice lock sizes available 30, 35, 40 45, 50, 60, 70 mm*
- Data capacity: Password 150, Card 150
- Scar plate will be required to cover an existing 54mm hole (code: SLPLATE60)
- Raised keypad so no need to touch the keypad to wake up the lock
- Power Supply: 3v, 1x CR123 Battery (not included)
- Key override
- Finish: Black



ELECTRONIC CYLINDER

Digital Smart Cylinder

- Ideal for new or replacement doors
- Suitable for residential or commercial use
- Overall length - 35x35mm
- IP67 rated
- Data capacity: 100 users
- Battery operated 2 x Lithium CR2 (batteries not included)
- NFC IC Card, Bluetooth (via App)
- Finish Satin Nickel Plate



SCL2

Suitable to retrofit on existing or new rim locks



SCL1

Suitable to retrofit on existing or new Euro cylinder locks



SCL3

Suitable to retrofit on existing or new Oval cylinder locks



SL44E Bluetooth Keypad/Reader

Connect wirelessly to existing Sylvan smart cylinders for convenient additional access

- IP55 rated
- Data capacity: Password: 150, Card: 200
- Working Voltage: 1x CR123A (not included)



SL44E.B



SLETAG

Sylvan Smart Tag

- This tag can be programmed to be used with all Sylvan Smart Locks.
- Overall size 49 x 30 x 4mm



SLDISC

Smart Disc

- Self adhesive back.
- Overall size 26 x 26mm
- Thickness of Disc 0.90mm
- Can be programmed as a RF card for any Sylvan Smart Lock.



SLG02

Smarthub* enabled, connect multiple smart locks to the same device within a 10 meter range**

- Overall size: 70 x 70 x 25mm
- Operational signal: 2.4G



SLGHOLDER

Easily mount your Smart Lock Gateway and secure in place


- Easy to Install
- Designed in New Zealand
- Finish: White

*sold separately **depending on structure and signal interference.



SL45E Smart Key Box


- Wall or shackle mounted smart Keybox
- Large capacity for storing keys, car key or access cards
- Solid Alloy construction
- Easy installation (DIY friendly)
- Auto locking after a few seconds
- IP65 rated (externally)
- TTlock app friendly, for set up and programming of the keybox
- Blue tooth release, up to normal Bluetooth range
- Hidden Key override and USB Type C power pack emergency power port.
- Weather protection UV stabilised protective cover
- Data capacity: Password: 250, Card: 1000, Fingerprint: 100
- Custom codes within a date and time ranges
- Working Voltage: 6V/4x AAA Batteries (not included)
- Includes 2x mechanical keys, 2 x IC Cards
- Comes complete with 4x wood screw fixings and 4x expansion plugs for masonry fixing
- Manual included
- Finish: Black



Smart Lock Scar Plate

Scar Plates are designed to cover a range of holes and suitable for Sylvan SL36, SL41 & SL47 electronic Smart Locks

- Finish: Black, Stainless Steel



Smart Lock Striker Packers

Striker plate packers designed to suit Sylvan SL36 & SL41 electronic Smart Lock striker plates, Iseo 741, Sylvan S785, Iseo 200N locks.

- ABS plastic
- 2mm-4mm thicknesses available
- Finish: Black




Smart Lock Protection Kits

- Protect your investment on busy construction sites with our Digital Smart Lock Protection Kits. Designed to reduce the risk of damage while retaining full functionality, the kit provides an extra layer of protection without obstructing the smart lock keypad.
- Compatible with: Sylvan SL36 (SL36EPROTECT) SL40 (SL40EPROTECT) & SL41 (SL41EPROTECT) Smart Locks.
- Each kit includes 2x covers & sleeves to safeguard the exterior and interior handles.

Smart Lock Weather Protection

Protect your locks functionality from our harsh Kiwi conditions.

- Designed and Made in New Zealand for New Zealand Conditions
- UV Stabilised
- Slim suitable for SL36E, SL36ESLIDE
- Wide suitable for SL37E, SL38E, SL39E, SL40E, SL41E, SL42E, SL43E
- Finish: Clear, Black



UNLOCK ANYWHERE

All Sylvan® Smart Hardware is designed to work with Sylvan® Smart App, providing you with freedom, flexibility and security



- XP5
- Available in Jarrah or Kwila
 - Overall length: 540mm
 - Screw centres: 250mm
 - 316 Marine Grade Stainless Steel posts and fittings suitable for outside use
 - Pillar Finishes: SS, BO



- DP1
- Diameter: 32mm
 - Overall length: 520mm
 - Screw centres: 400mm
 - Finish: 304 Grade BSS



- DP3
- Diameter: 25mm
 - Overall length: 430mm
 - Screw centres: 400mm
 - Finish: 304 Grade BSS



- DP6
- Oval tube bar pull
 - Overall length: 600mm or 900mm
 - Screw centres: 420mm or 720mm
 - Finish: 316 Grade BSS



- DP4
- Rectangular tube pull
 - Profile: 40mm x 20mm
 - Overall length: 600mm
 - Screw centres: 580mm
 - Finish: 316 Grade BSS, Black (special order)



- DP7
- Offset rectangular tube pull
 - Profile: 40mm x 20mm
 - Overall length: 600mm
 - Screw centres: 580mm
 - Finish: 316 Grade BSS



Kit Includes, Mortice Lock, Euro Cylinder, Double Turn, Escutcheon



FDKIT3

- Kit Includes:
- Door Pull DP3
- Round Escutcheon I-ESC4E
- Round Double Turn I-TTD4
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

WARRANTY*

10 YEARS MECHANICAL	5 YEARS FINISH
---------------------	----------------



FDKIT4

- Kit Includes:
- Door Pull DP4
- Square Escutcheon I-ESC5E
- Square Double Turn I-TTD5
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

WARRANTY*

10 YEARS MECHANICAL	10 YEARS FINISH
---------------------	-----------------

316 STAINLESS STEEL



FDKIT6

- Kit Includes:
- Door Pull DP600
- Round Escutcheon I-ESC4E
- Round double turn I-TTD4
- Euro Mortice Sashlock 60mm backset S785/60
- Euro Cylinder & Turn 68mm overall

WARRANTY*

10 YEARS MECHANICAL	10 YEARS FINISH
---------------------	-----------------

316 STAINLESS STEEL

Digital Locks

Ideal for entrance doors, garages, sheds, shared spaces.

S201.S

- Mechanical digital entrance lock suitable for residential use.
- Easy code programmable lock
- Supplied with a 60mm backset
- Door thickness 35-55mm
- Not suitable for use in high salt and sulphur environments.
- Finish: Satin Chrome Plate

WARRANTY*

5 YEARS MECHANICAL	3 YEARS FINISH
--------------------	----------------



Push and pull plates

304 grade stainless steel, suitable for commercial or residential use.

PP1



PP2



PP3



PP4



- Produced in 1.8mm Stainless Steel
- 300 x 100 x 1.8mm face fixed.
- Embossed wording.
- Solid stainless steel handle
- Includes all stainless steel fixing screws
- Finishes: Stainless Steel, Black (PP1 & PP3 Only)



WARRANTY*

10 YEARS MECHANICAL	10 YEARS FINISH
---------------------	-----------------

Double Turn Kit

The kit includes the following items:

- Euro escutcheon – square or round
- 5 pin euro cylinder and turn (6 pin available on request)
- Overall length: cylinder 68mm for 5 pin
- Euro profile mortice lock S785: 60mm backset, 85mm key and turn separation, 21.5mm single throw deadbolt, reversible latch bolt, key retraction of latch
- Double thumb turn with 27mm knob
- Maximum door thickness: 32-45mm
- Plates: 56.5 x 56.5mm square option, 56.5mm diameter round option
- Finish: SNP



Outside



Outside



Inside



Outside



Inside

HSI-TTD5K

HSI-TTD4K

FDKIT4

Centro Entrance Kits

All Centro lever handle shapes are available in kit form.

The kit includes the following items:

- Centro selected lever handle on a long backplate
- 5 pin euro cylinder and turn (6 pin available on request)
- Overall length: cylinder 68mm for 5 pin
- Euro profile mortice lock S785: 60mm backset, 85mm key separation, 21.5mm single throw deadbolt, reversible latch bolt, key retraction of latch
- Door thickness: 32-45mm
- Finish: SNP



Outside



Inside



Inside

Refer page 16-20 for Centro lever handle options.

All Centro lever shapes are available in kit form.
Asti: HSI-90EK
Monza: HSI-91EK
Savona: HSI-92EK
Andora: HSI-94EK
Trento: HSI-85EK



EH805

- Material: Zinc
- 270mm overall for handle
- 170mm b/c
- 51mm hole prep
- Finish: SNP, Black



*Please refer to back page for black finishes warranty information



Entrance Sets

- Operation: Latch operated by thumb lever from outside. Round knob inside
- Security: Heavy duty double cylinder deadbolt with reinforced security rose
- EH805 - Door thickness, 34-57mm

- Backset: Adjustable 60 or 70mm for deadbolt and handleset
- EH805 requires a 51mm hole through door.
- EH707 require 54mm holes through door required

- EH707 - Adjustable bottom hole spacing from 200-230mm c/c from latch.
- EH707 - Door Thickness, 35-45mm
- EH711 to be discontinued



EH707

- Material: Zinc
- 284mm overall
- Finish: SCP, Black



*Please refer to back page for black finishes warranty information



Centro Entrance Kits

All Centro lever handle shapes are available in kit form.

The kit includes the following items:

- Centro selected lever handle on a small backplate
- Euro escutcheon (round or square)
- 5 pin euro cylinder and turn (6 pin available on request)
- Overall length: 68mm for 5 pin
- Euro profile mortice lock S785: 60mm backset, 85mm key and turn separation, 21.5mm single throw deadbolt, reversible latch bolt, key retraction of latch
- Door thickness: 32-45mm
- Plates: 56.5 x 56.5mm square option, 56.5mm diameter round option
- Finish: SNP



Refer page 16-20 for Centro lever handle options.

All Centro lever shapes are available in kit form.
Asti: HSI-90RK
Monza: HSI-91RK
Savona: HSI-92RK
Andora: HSI-94RK



Outside

Savona

I-92R



No handing required

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm x 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 24 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets

- Door thickness 30-50mm
- All curved lever dummy trim handles are handed – refer page 66 for handing diagram
- Dummy trim can be installed back to back for use on French doors
- Finish: SNP - all handle shapes, Graphite - Savona, Asti only




I-92R



I-92BK



Privacy option



Andora

I-94R



No handing required

*to be discontinued

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm x 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 24 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets


- Door thickness 30-50mm
- All curved lever dummy trim handles are handed – refer page 66 for handing diagram
- Dummy trim can be installed back to back for use on French doors
- Finish: SNP



I-94BK



Privacy option



Savona

I-92L



I-92E



I-92E.85



I-92UP



Lever keyhole

- Lever keyhole stamped
- Use with Sylvan S717, S795 Lever key mortice locks, either 2" or 3" lock body
- 57mm spacing between spindle and lever keyhole
- Finish: SNP



Euro keyhole

- Euro profile keyhole stamp
- Use with Sylvan S735 euro key mortice lock, either 2" or 3" lock body
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 48mm spacing between spindle and euro keyhole
- Finish: SNP



Euro keyhole 85mm

- Euro profile keyhole stamp
- Use with Sylvan S785, S726 euro mortice lock
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 85mm spacing between spindle and euro keyhole
- Finish: SNP



Unpunched

- Unpunched backplate suitable for use in passage situation
- Use with Sylvan MLS latch – 60 or 70mm
- Finish: SNP



- All handles overall backplate measurements: 45mm (w) x 240mm (h) 220mm (b/c)

Andora

I-94L



I-94E



I-94E.85



I-94UP



Lever keyhole

- Lever keyhole stamped
- Use with Sylvan S717, S795 Lever key mortice locks, either 2" or 3" lock body
- 57mm spacing between spindle and lever keyhole
- Finish: SNP



Euro keyhole

- Euro profile keyhole stamp
- Use with Sylvan S735 euro key mortice lock, either 2" or 3" lock body
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 48mm spacing between spindle and euro keyhole
- Finish: SNP



Euro keyhole 85mm

- Euro profile keyhole stamp
- Use with Sylvan S785, S726 euro mortice lock
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 85mm spacing between spindle and euro keyhole
- Finish: SNP



Unpunched

- Unpunched backplate suitable for use in passage situation
- Use with Sylvan MLS latch – 60 or 70mm
- Finish: SNP



- All handles overall backplate measurements: 45mm (w) x 240mm (h) 220mm (b/c)


Asti

I-90R

Graphite Finish
No handing required



I-90R SNP Finish



I-90BK



Privacy option

Monza

I-91R

Handing required for Dummy Trim only.
Refer to back cover for handling diagram.



I-91BK



Privacy option

Trento

I-85R

Handing required for Dummy Trim only.
Refer to back cover for handling diagram.



I-85BK



Privacy option

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 24 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets

- Door thickness 30-50mm
- All curved lever dummy trim handles are handed – refer page 66 for handing diagram
- Dummy trim can be installed back to back for use on French doors
- Finish: SNP - all handle shapes, Graphite - Savona, Asti only



Asti

I-90E



I-90E.85



I-90UP



Monza

I-91E



I-91E.85



I-91UP



Trento

I-85E



I-85E.85



I-85UP



Euro keyhole

- Euro profile keyhole stamp
- Use with Sylvan S735 euro key mortice lock, either 2" or 3" lock body
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 48mm spacing between spindle and euro keyhole
- Finish: SNP



Euro keyhole 85mm

- Euro profile keyhole stamp
- Use with Sylvan S785, S726 euro mortice lock
- Use with Sylvan S725 euro double cylinder or S725 euro cylinder and turn
- 85mm spacing between spindle and euro keyhole
- Finish: SNP



Unpunched

- Unpunched backplate suitable for use in passage situation
- Use with Sylvan MLS latch – 60 or 70mm
- Finish: SNP



- All handles overall backplate measurements: 38mm (w) x 239mm (h) 220mm (b/c)

Venice

I-98R



No handing required

I-98BK

Black Finish



I-98BK



Privacy option - Graphite Finish

Roma

I-96R



No handing required

I-96BK

Privacy option



Cori

I-97R



No handing required

I-97BK

Black Finish



I-97BK



Privacy option

- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- Privacy function is available by integrated privacy on the rose of the handle or Privacy function by separate turn and emergency release. Refer page 24 for turn options.
- 60mm latch backset is included with all Passage & Privacy sets

- Door thickness 30-50mm
- Dummy trim can be installed back to back for use on French doors
- Finish: SNP - all handle shapes
- Black: Venice & Cori only
- Graphite - Venice only



WARRANTY*

10 YEARS MECHANICAL

7.5 YEARS FINISH

42mm B/C

20mm DIA

Lagos

Ultimo Series – Tubular Leverset

WARRANTY*

10 YEARS MECHANICAL

7.5 YEARS FINISH

I-20PS



- 304 Grade Stainless Steel lever
- Passage & Privacy lever furniture
- Concealed screw fixing
- Rose diameter: 56mm
- 60mm latch is included with all Passage & Privacy sets
- Door thickness 30-56mm
- Handle length: 133mm

- Dummy trim can be installed back to back for use on French doors
- Entrance Kits also available
- Finish: Stainless Steel, Black



I-20BK



I-20BK

Privacy option
No handing required

42mm B/C

20mm DIA

planning your
next project?

find our full range
and more online

scan the code



www.sylvan.co.nz



Sylvan escutcheons are suitable for use with centro lever handles and stainless steel lever handles



I-ESC6 O

Oval Euro Keyhole Escutcheon

- Diameter: 51mm
- Finish: SNP

●



I-ESC6 E

Round Euro Keyhole Escutcheon

- Diameter: 51mm
- Use with Sylvan euro cylinder S725
- Finish: SNP

●



I-ESC4 E

Euro Profile Keyhole Escutcheon

- Diameter: 56.6mm
- Use with Sylvan euro cylinder S725
- Finish: SNP

●



I-ESC8 E

Euro Profile Keyhole Escutcheon

- Diameter: 55mm
- Use with Sylvan Stainless Steel lever handles, Lagos & Sylvan S725 Euro Cylinders
- Finish: SS, Black via special order

● ●



I-ESC9 E

Euro Profile Keyhole Escutcheon

- Diameter: 55mm x 55mm
- Use with Sylvan Stainless Steel lever handles, Porto
- Finish: SS, Black via special order

● ●



I-ESC7.O

Square Oval Keyhole Escutcheon

- Backplate: 51 x 51mm
- Finish: SNP

●



I-ESC5 O

Oval Cylinder Keyhole Escutcheon

- Backplate: 56.6 x 56.6mm
- Finish: SNP

●



I-ESC5 E

Euro Profile Keyhole Escutcheon

- Backplate: 56.6 x 56.6mm
- Use with Sylvan euro cylinder S725
- Finish: SNP, CP

● ●



I-ESC5 L

Lever Keyhole Escutcheon

- Backplate: 56.6 x 56.6mm
- Finish: SNP

●

WARRANTY*

10 YEARS MECHANICAL

7.5 YEARS FINISH

Privacy Kits for Bathrooms



HSI-Bathset

Kit Includes:

I-TT4
Round turn/backplate and emergency release; (56.6mm)

I-BATH 2
60mm latch, Spindle: 6mm, if 70mm latch required order HSI-BATHSET4

Finish SNP

●



HSI-Bathset 6

Kit Includes:

I-TT6
Round turn/backplate and emergency release; (51mm)

I-BATH 2
60mm latch, Spindle: 6mm

Finish SNP

●



HSI-Bathset 2

Kit Includes:

I-TT5
Round turn, square backplate and emergency release; (56.6 x 56.6mm)

I-BATH 2
60mm latch, Spindle: 6mm, if 70mm latch required order HSI-BATHSET5

Finish SNP

●



HSI-Bathset 7

Kit Includes:

I-TT7
Round turn, square backplate and emergency release; (51 x 51mm)

I-BATH 2
60mm latch, Spindle: 6mm

Finish SNP

●

WARRANTY*

10 YEARS MECHANICAL

7.5 YEARS FINISH

Double turn sets



I-TTD4

Double turn, round backplate

- Spindle: 8mm
- Backplate: 56.6mm
- Finish: SNP

●



I-TTD5

Double turn, square backplate

- Spindle: 8mm
- Backplate: 56.6 x 56.6mm
- Finish: SNP

●

WARRANTY*

10 YEARS MECHANICAL

7.5 YEARS FINISH

Note: All escutcheons are sold in pairs

Privacy for bathrooms

I-TT3



Bathroom Privacy Turn

- Thumb turn and emergency release
- Diameter: 56.6mm
- Spindle: 6mm
- Concealed screw fixing
- Finish: SS



I-TT4



Bathroom Privacy Turn

- Thumb turn and emergency release
- Diameter: 56.6mm
- Spindle: 6mm
- Concealed screw fixing
- Finish: SNP



I-TT5



Bathroom Privacy Turn

- Thumb turn and emergency release
- Backplate: 56.6 x 56.6mm
- Spindle: 6mm
- Concealed screw fixing
- Finish: SNP



I-TT6



Bathroom Privacy Turn

- Turn and emergency release
- Diameter: 51mm
- Spindle: 6mm
- Finish: SNP



I-TT7



Bathroom Privacy Turn

- Turn and emergency release
- Backplate: 51 x 51mm
- Spindle 6mm
- Finish: SNP



Thumb turns

I-TT8




Round Turn

- Spindle: 6mm star design
- Backplate: 51mm
- Finish: SNP



I-TT9



Square Turn

- Spindle: 6mm star design
- Backplate: 51 x 51mm
- Finish: SNP



WARRANTY*
10 YEARS MECHANICAL
7.5 YEARS FINISH

WARRANTY*
10 YEARS MECHANICAL
7.5 YEARS FINISH

Picton

Tubular Leverset



PS E18PS DT E18DT




BK E18BK

BK E18ET

- Securefix technology provides added strength
- Entrance, Passage, Privacy & Dummy trim
- Door thickness: 30–45mm
- Concealed screw fixing
- E16 complies with NZ disability standards
- Standard 54mm hole prep


- 60-70mm adjustable latch
- Dummy trim handles can be installed back to back for use on French doors
- Easy to install
- Finish: SNP, B, G



WARRANTY*
10 YEARS MECHANICAL
7.5 YEARS FINISH



This fixing system interlocks the lever handle to the latch through the use of through bolt fixing and self-aligning interlocking system. This ensures the set is securely mounted onto the door and improves the sets strength and durability.



Rockford

Tubular Leverset



- Securefix technology provides added strength
 - Passage, Privacy & Dummy trim
 - Door thickness: 30–45mm
 - Concealed screw fixing
 - E16 complies with NZ disability standards
 - Standard 54mm hole prep
- 60-70mm adjustable latch
 - Dummy trim handles can be installed back to back for use on French doors
 - Easy to install
 - Finish: SNP



54mm
DIAMETER

WARRANTY*

10 YEARS
MECHANICAL

7.5 YEARS
FINISH



Winton

Tubular Leverset



- Securefix technology provides added strength
 - Passage, Privacy & Dummy trim
 - Door thickness: 30–45mm
 - Concealed screw fixing
 - Standard 54mm hole prep
 - 60-70mm adjustable latch
- Dummy trim handles can be installed back to back for use on French doors
 - Easy to install
 - Finish: SNP, B



54mm
DIAMETER

WARRANTY*

10 YEARS
MECHANICAL

7.5 YEARS
FINISH



Beaumont

Tubular Leverset



- Securefix technology provides added strength
 - Passage, Privacy & Dummy trim
 - Door thickness: 30–45mm
 - Concealed screw fixing
 - Standard 54mm hole prep
 - 60-70mm adjustable latch
- Dummy trim handles can be installed back to back for use on French doors
 - Easy to install
 - Finish: SNP



54mm
DIAMETER

WARRANTY*

10 YEARS
MECHANICAL

7.5 YEARS
FINISH



Fairlie

Tubular Leverset



- Securefix technology provides added strength
 - Passage, Privacy & Dummy trim
 - Door thickness: 30–45mm
 - Concealed screw fixing
 - Standard 54mm hole prep
 - 60-70mm adjustable latch
- Dummy trim handles can be installed back to back for use on French doors
 - Easy to install
 - Finish: SNP, B



54mm
DIAMETER

WARRANTY*

10 YEARS
MECHANICAL

7.5 YEARS
FINISH



Dalton

Tubular Leverset

NEW



ET E64ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30–45mm
- Backset: Adjustable 60 or 70mm
- Hanging: Not required
- Dummy Trim can be back to back for use on French doors
- Low rotation latch

- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: Black



BK E64BK



PS E64PS DT E64DT

Denver

Tubular Leverset



ET E60ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30–45mm
- Backset: Adjustable 60 or 70mm
- Hanging: Not required
- Dummy Trim can be back to back for use on French doors
- Low rotation latch

- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP



BK E60BK



PS E60PS DT E60DT

Austin

Tubular Leverset

NEW



ET E36ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30–45mm
- Backset: Adjustable 60 or 70mm
- Hanging: Not required
- Dummy Trim can be back to back for use on French doors
- Low rotation latch

- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SNP



BK E36BK



PS E36PS DT E36DT

Milford

Tubular Leverset

NEW



ET E65ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30–45mm
- Backset: Adjustable 60 or 70mm
- Hanging: Not required
- Dummy Trim can be back to back for use on French doors
- Low rotation latch

- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SNP



BK E65BK



PS E65PS DT E65DT

Houston*

Tubular Leverset



BK E37BK



PS E37PS DT E37DT

*to be discontinued

Newton

Select Series – Tubular Leverset



ET E39ET

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 30–45mm
- Matching deadbolt available EDB6
- Backset: Adjustable 60 or 70mm
- Handing: Not required

- Dummy Trim can be back to back for use on French doors
- Low rotation latch. Solid construction
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP



- Suitable for DIY and trade, removable handles for easy installation
- Concealed screw fixing on all functions
- Turn button to operate entrance and bathroom functions from the inside
- Finish: SCP



BK E39BK



PS E39PS DT E39DT

Leo I-10



Orion I-11



Virgo I-12



- All lever handle shapes available with Euro key 85mm spindle separation, unpunched passage function and patio function
- Standard backplate size 202mm long suits ISEO 741 lock
- 240mm backplate suits ISEO 781 and 723 Performa 3 point lock
- Reversible handing
- Ball assisted cassettes included for smooth and positive lever action
- Stainless steel through bolt fixing screws
- Concealed screw fixing on outside of door
- Grub screw locked split spindle for added strength
- Designed in New Zealand for New Zealand and Australian building requirements
- Finishes: SNP, Black, White, Grey
- Other powder coat colours are available on request



Black



Grey



White



SNP



Note: Requires mortice lock with strong latch spindle return, non sprung returned hardware.

Sylvan Aluminium Door handle installed with Iseo 741 lock and I-10 Leo handle



Tapered

Lever Handle

3585




- No need to count Passage and Privacy options as both options are supplied in the same box.
- Supplied with a 60mm latch
- 24mm hole
- Rose Diameter 63mm
- Concealed screw fixing
- Stainless steel ball bearing mechanism for added strength
- Manufactured in Zinc
- Black, Satin Chrome, Satin brass finish (ex stock)



Linear

Lever Handle

3580



- No need to count Passage and Privacy options as both options are supplied in the same box.
- Supplied with a 60mm latch
- 24mm hole
- Rose Diameter 63mm
- Concealed screw fixing
- Stainless steel ball bearing mechanism for added strength
- Manufactured in Zinc
- Black, Satin Chrome, Satin brass finish (Special Order in)



Curved Lever Set on 62mm Rose

3009

- Passage Lever Set
- Back plate diameter: 62mm
- Projection: 52mm face fixed
- Manufactured in: Brass
- Finishes: Polished Brass, Satin Chrome (ex stock)



Face Fixed Knob on 52mm Rose

3010

- Passage door knob
- 55mm diameter
- 73mm projection
- Manufactured in: Brass
- Finish: Polished Brass, Satin Chrome (ex stock)



Victorian Lever Set

3094

- Passage Lever Set
- 150 x 42mm
- Manufactured in: Brass
- Finishes: Matt Black, Polished Brass, (ex stock) Satin Chrome, Antique Copper, Chrome (Special Order in)



Victorian Lever on Dovetail

4176

- Passage Lever Set
- 200 x 48mm
- Manufactured in: Brass
- Finishes: Matt Black, Polished Brass, Satin Chrome, (ex stock) Antique Copper, Chrome (Special Order in)



Superior Series Hinges



Radius Butt Hinge
5408SS

- Size: 100x75x2.5mm
- Includes wood screws
- 304 Stainless Steel
- Suitable for all commercial and residential applications
- Sold in pairs
- Finish SS (ex-stock) MB (special order)




Fixed Butt Hinge
5108SB

- Size: 100x75x2.5mm
- Includes wood screws
- 304 Stainless Steel
- Suitable for all commercial and residential applications
- Sold in pairs
- Finish SB (ex-stock) MB, SS (special order)



*enquire about our full range of hinges

Boston Knobset



ET E72ET



PS E72PS DT E72DT




BK E72BK

- Functions: Entrance, Double Cylinder Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 35–45mm
- Backset: adjustable 60–70mm latch supplied
- Dummy Trim face fixed
- Concealed screw fixing
- Turn button to operate entrance and privacy options
- Finishes: Black



Quest Cylindrical Knobset



ET E71ET DC E71DC



PS E71PS DT E71DT




BK E71BK

- Functions: Entrance, Double Cylinder Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 29–45mm
- Backset: 60 & 70mm latches supplied
- Concealed screw fixing
- Dummy Trim fixed from back of door
- Chassis: Threaded on both sides for easy alignment and solid fixing
- Push button and panic release on Entrance and Bathroom inner knob
- Finishes: SS, PB or AB (Combination set and Double Cylinder SS only)



Vita Cylindrical Knobset



ET E91ET



PS E91PS DT E91DT



BK E91BK

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- Door thickness: 29–45mm
- Backset: 60 & 70mm latches supplied
- Concealed screw fixing
- Dummy Trim fixed from back of door
- Chassis: Threaded on both sides for easy alignment and solid fixing
- Push button and panic release on Entrance and Bathroom inner knob
- Finishes: SS (Combo Only) or PB



Atlas

Cylindrical Light Commercial Knobset

NEW



ET E83ET

PS E83PS DT E83DT

BK E83BK

- Functions: Entrance, Bathroom, Passage, Dummy Trim
- For use on light commercial and residential doors
- Cylindrical construction for one action exit
- Sylvan Atlas is suitable for a 54mm hole
- Privacy set for doors requiring privacy locking
- Supplied with 60 and 70mm heavy duty latch
- Door thickness 35 to 50mm
- 75mm Backplate
- Concealed screw fixing
- Push button to operate privacy function from the inside of the door
- Finishes: SS

Amos

Tubular Knobset



BK E61BK

PS E61PS

DT E61DT

- Functions: Bathroom, Passage, Dummy Trim
- Door thickness: 30–50mm
- Backset: 60–70mm adjustable
- Suitable as a replacement for door hardware with existing spindle holes from 10 to 30mm
- Dummy Trim can be back to back for use on French doors
- Finish: SS

ET Entrance Lock

Latch bolt operated by key from outside, by knob inside. Inside handle always active. Deadlocking latch bolt.

DC Entrance Lock

Both knobs locked and unlocked by key. Deadlocking latch bolt.

BK Bathroom Lock


For bedroom, bathroom or toilet. Inside push button locks outer knob. Coin operated emergency release.

PS Passage Latch

For interior doors not requiring locking. Knobs are always active.

DT Dummy Trim

Fixed knob for wardrobe and cupboard doors. Use with roller bolt, magnetic catch or similar.



NEW



PS E84PS DT E84DT

Napier

knob set range

Introducing the Napier Knobset – a contemporary design that brings understated style to any interior. Crafted from durable materials and built for everyday performance, the Napier combines modern aesthetics with lasting quality, making it the ideal choice for today's New Zealand homes.

- Passage, Privacy & Wardrobe furniture
- Suitable for residential use on interior doors
- Suitable for a 54mm hole
- Supplied with an adjustable 60 or 70mm latch
- Door thickness 30 to 45mm
- No handing required
- Exposed screw fixing on inside knob
- Satin Nickel Plate and Black Finish



Satin Nickle Plate

Black



BK E84BK

Metal



LS76

Die-cast hammered Bronze knob and base
Die-cast White knob and base



WARRANTY*
10 YEARS MECHANICAL
10 YEARS FINISH



Wood



LS5RIM

Rimu knob, Gold Plated or Antique Brass base

LS5PINAB

Pine knob, Antique Brass base
*to be discontinued

LS5WHITEG

White knob, Gold Plated base

WARRANTY*
10 YEARS MECHANICAL
10 YEARS FINISH



LS7

Rimu knob, Gold Plated base

WARRANTY*
10 YEARS MECHANICAL
10 YEARS FINISH



LS1

Rimu knob, Florentine Bronze base

WARRANTY*
10 YEARS MECHANICAL
10 YEARS FINISH



LS9

White knob, Gold Plated or White base

WARRANTY*
10 YEARS MECHANICAL
10 YEARS FINISH



Note: All knobs shown on this page have concealed screw fixing, are supplied with a 7.6mm spindle. Latch – MLS or ML7 sold separately, see page 44.

Deadbolts

Double or single cylinder



EDB1

Single Cylinder Deadbolt

- Operation: Key from outside. Thumb turn inside
- Backset: Adjustable 60 or 70mm
- Door thickness: 35–50mm
- Key alike PB only
- Finishes: PB, SS, B



EDB5

Single Cylinder Deadbolt

- Operation: Key from outside. Thumb turn inside
- Designed to match Oakland Entrance
- Backset: 60 or 70mm
- Hardened steel roller
- Door thickness: 35–50mm
- Concealed screw fixing
- Finish: SNP



EDB2

Double Cylinder Deadbolt

- Operation: By key from either side
- Backset: Adjustable 60 or 70mm
- Door thickness: 35–45mm
- Keying: May be keyed in pair with Sylvan entrance sets
- Comes complete with one-way fixing screws to prevent the lock from being removed from the inside
- Finishes: AB, PB, SS



EDB6

Single Cylinder Deadbolt

- Operation: Key from outside. Thumb turn inside
- Designed to match Newton Entrance
- Backset: 60 or 70mm
- Hardened steel roller
- Door thickness: 35–50mm
- Concealed screw fixing
- Finish: SCP





3 Lever Mortice Lock

S717/47
S717/60

- Backsets: 47mm & 60mm
- Brass deadbolt operated by key from either side
- Latch bolt by knob or lever from either side
- 96 Key differs
- Finish: Brass or NP forend & striker plate



Euro Profile Mortice Lock

S785

- Backset: 45, 50, 60, 70mm
- 85mm key and turn separation
- 21.5mm single throw deadbolt
- Reversible latch bolt
- Key retraction of latch
- Strike box available on request
- SS forend

MADE IN EUROPE



Euro Profile Mortice Sashlock

S726/46
S726/51

- Backsets: 30 or 35mm
- Latchbolt: Brass, reversible without opening the case
- Special feature: Latchbolt can be withdrawn by an extra key turn
- Deadbolt: Brass head, Steel latch
- Forend: SS



MADE IN EUROPE



Euro Profile Deadlock

S721/46

- Euro profile cylinder deadlock
- Backset: 30mm
- Bolt throw: 15mm with one key turn
- Escutcheons included
- Latchbolt: SS forend

MADE IN EUROPE



Mortice Lock Kit for French Doors

S785FDKIT

- Kit includes
- S785 Euro cylinder mortice 45mm lock
- S726R Rebate kit
- Euro Cylinder and turn 5 pin 68mm



Euro Cylinder Roller Bolt Mortice Lock

S720/40SS

- Backset: 40mm
- Escutcheons included
- Forend: SS

MADE IN EUROPE



Rebated Forend Kit

S717R

- Suits: S717 3 lever mortice lock
- Finishes: PB, CP



Mortice Latch or Deadbolt Rebated Forend Kit

MLR1

- Suits: Houston, Denver, Newton, Oakland, Quest, Richmond, Seattle, Vita, MLS latches EDB1, EDB2, EDB5, EDB6, S201 SL36E, SL40E, SL42E, SL43E & SL46E Smart Locks
- Finish: SCP



Rebated Forend Kit

S726R

- Suits: S726, S785, 200N, 741, SL41E & SL36E euro cylinder mortice locks
- Finish: SS



Night Latch

RIM1.B

- Backset 60mm
- Suits doors between 35-55mm
- Solid brass latch bolt
- Solid die cast internal construction
- Keyway C4 5 pin brass body, with three brass keys
- Snib back internal latch feature
- Can be used on inward opening doors left of right hung
- Full fixing instructions included
- Black and Satin chrome finish available.



rim lock and night latch

Rimlock

RIM1.B

- 107mm backset
- Reversible for left or right hung inward opening doors
- 2 keys provided
- Easy to install
- Drilling template included
- Lock body finish: Black





Mortice Latch
ML7

- 70mm backset
- 7.6mm square follower
- Produced in high strength nylon
- Finishes: Brown, White

● ○



Mortice Latch
MLS

- 60 or 70mm backsets
- 7.6mm or 8mm square follower
- Finishes: AB (70mm only), PB, SNP

● ●



Privacy Bolt
PB

- 60 or 70mm adjustable backsets
- Produced in high strength nylon
- Knob Finishes: Pine, Rimu, SCP, White, SNP

● ● ○



Roller Bolt
RB601

- Externally adjustable roller ball
- Finishes: CP, PB, SCP

● ● ●




Stainless Steel Extended Strike Plate
STRIKE785

- Overall: 50mm width
- Suitable for use with Sylvan S785 euro mortice lock
- Strike plates are handed
- Finish: SS

●



Tubular Latch
EC606.SS

- Passage Latch
- Use with tubular knobset
- Adjustable 60-70mm
- Finish: SS

●



Tubular Latch
EC606ET.SS

- Entrance Latch
- Use with tubular knobset
- Adjustable 60-70mm
- Finish: SS

●



High Rotation Tubular Extension Latch
MLS127

- Suitable for use with high rotation knobsets
- 127mm backset
- 8mm square follower
- Finish: SS

●



Low Rotation Tubular Extension Latch
MLS127LR

- Suitable for use with low rotation leversets
- 127mm backset
- 8mm square follower
- Finish: SS

●



Striker Plate
ECSTRIKE

- Overall: 45mm
- Height: 57mm
- Finishes: SS, PB

● ●



Striker Plate
ECSTRIKET

- Overall: 39mm
- Finish: SS

●



Cylindrical Latch
EC60 EC70

- 60 or 70mm backsets
- Suits Sylvan cylindrical entrance, bathroom & passage sets
- Deadlocking latch available for entrance set
- Finishes: PB, SS

● ●



Extension Latch
EC90 EC127

- 90 or 127mm backsets
- Suits Sylvan cylindrical entrance sets
- Finishes: 90mm CP 127mm PB, SS

● ●



Bathroom Bolt
I-BATH 2 I-BATH 70

- 60 or 70mm backsets
- 6mm square follower
- Use with Sylvan privacy turns on page 24
- Forend finish: BSS

●



Magnetic Latch
MLSM

- 60mm backset
- Tools available
- Adjustable striker
- Smooth latch operation
- Privacy option available MLSMBK
- Finish: SS

●



Striker Plate
STRIKER52

- Overall: 52mm
- Height: 57mm
- Finish: SS

●



Striker Plate
STRIKERT46

- Overall: 46mm
- Height 70mm
- Finish: SS

●

Spindles

- All spindles are 7.6 x 7.6mm
- SPLSM steel material
- SPL,SPW Plastic material





Euro Profile Single Cylinder & Thumb Turn

S725TT

- Available in 5 or 6 pin cylinders
- 5 pin, 60mm or 68mm overall length
- 6 pin, 70mm overall length
- Finishes: SNP, PB, Black, Graphite



Euro Profile Double Cylinder

S725DBL

- Available in 5 or 6 pin cylinders
- 5 pin, 60mm or 68mm overall length
- 6 pin, 70mm overall length
- Finishes: SNP



Euro Profile Cylinder Bathroom Turn & Emergency Release

S725BKTT

- 70mm overall length
- Finishes: SNP



Euro Profile Half Cylinder

S725/45

- 6 pin, 45mm overall length
- Finishes: SNP



DS20

- 25.4mm (h) 47mm (w)
- Floor mounted
- Finish: SCP



DS6

- 26.3mm (h) 46mm (w)
- Floor mounted
- Finishes: CP, SCP



DS9A

- 70mm (h) 30mm (w)
- Floor mounted
- Finish: SA



DS25

- 38mm (h) 50mm (w)
- Floor mounted
- Finish: SNP



DS26

- 40mm (h) 40mm (w)
- Floor mounted
- Finish: SNP



DS30

- 70mm (h) 30mm (w)
- Floor mounted
- Finish: SNP



DS33

- 40mm (h) 30mm (w)
- Floor mounted
- Secured by Dynabolt
- Finish: SNP, Black



DS34

- 60mm (h) 30mm (w)
- Floor mounted
- Secured by Dynabolt
- Finish: SNP



DS38

- 38mm (w) x 40mm (h), 52mm Rubber
- Floor mounted
- Secured by Dynabolt
- Finish: SNP, Black





ISEO products are also available from Sylvan and GDR Architectural, to see ISEO Euro Cylinders refer to page 64.





DS7

- 76.6mm length, 40mm base
- Wall mounted
- Socket hold-back
- Finishes: CP, PB, SCP



DS3

- 92.5mm length including magnet, 44mm base
- Wall mounted
- Magnetic hold-back
- Finishes: CP, PB, SCP



DS27

- 84mm length 32mm base
- Wall mounted
- Finish: SNP, Black, Graphite, Brushed Brass
- Trade 10 Pack available for SNP only



10
PACK



DS14

- 75mm length 19mm base
- Wall mounted
- Finish: 304 Grade SS



DS29

- 110mm length 19mm base
- Wall mounted
- Finish: SS



DS4

- 75.5mm length 54mm base
- Wall or Floor mounted
- Magnetic hold-back
- Finishes: CP, PB, SCP



DS32

- 75mm length 47mm base
- Wall or Floor mounted
- Magnetic hold-back
- Finishes: SS



DS37

- 75mm length 55mm base
- Wall or Floor mounted
- Magnetic hold-back
- Finishes: SS



DS24

- 77mm length 24mm base
- Wall mounted
- Finish: SNP
- Trade 10 Pack available



10
PACK



DS31

- 85mm high 51mm base
- Wall mounted
- Finish: SS



DS19

- 52.8mm high 56mm base
- Packer (for use with DS17)



DS15

- 75mm length 22mm base
- Wall or Floor mounted
- Square door stop (includes both rubber stopper options)
- Finish: 304 Grade SS
- Trade 10 Pack available



10
PACK



DS1

- 75mm length 37mm base
- Wall mounted
- 3 screw fixing
- Finishes: CP, PB, SCP



DS28

- 108mm length 25mm base
- Wall mounted
- Finish: SNP



DS16

- 98mm length including catch 43mm base
- External wall mounted
- Finish: SCP



DS17

- 91.6mm high including catch 56mm base
- External floor mounted
- Finish: SCP, Black



DS18

- 64mm length including catch 43mm base
- External small wall mounted
- Finish: SCP





- SFP14**
- 160mm and 224mm overall
 - Passage Kits available: 2x Pulls 1x End Pull SFP14.SKIT - SFP14.MKIT
 - Finish: SNP, Black
- ●



- SFP2**
- 65mm overall
 - Finish: BSS
-



- SFP6.L**
SFP6.S
- 49.3mm or 41.2mm overall
 - Finish: SNP
-



- SFP12**
- 29mm overall
 - Sliding door finger pull
 - Finish: SNP
-



- SFP4**
- 102mm overall
 - Finish: BSS
-



- SFP15**
- 102mm overall
 - Finish: BSS
-



- SFP16**
- 120mm overall
 - Finish: BSS, Black
- ●



- SFP3**
- 120mm overall
 - Finish: BSS
-



- SFP8**
- 146mm between centres
 - Finish: SNP
-



- SFP11**
- 101mm overall
 - Finish: SNP
-



- SFP7**
- 101mm between centres
 - Finishes: CP, PB, SNP
- ● ●



- SFP**
- 100mm between centres
 - Finishes: AB, CP, PB, SCP
- ● ● ●



- SFP5.L**
SFP5.S
- 46mm or 32mm overall
 - Finish: SNP
-



For Cavity Doors Passage Set

SDPPS

- Suits door thickness 33mm to 38mm
- Finishes: CP, PB, SS



For Cavity Doors Bathroom Set

SDPBK

- Suits door thickness 33mm to 38mm
- Finishes: PB, SS



Passage



Passage



Privacy

Cavity Slider Set

C1

- 54mm hole required
- Passage and Privacy options available
- Flush design for total door retraction
- Suits door thickness 32mm to 42mm
- 60mm backset
- Finish: 304 stainless steel, Black



Privacy

Cavity Slider Set

C2

- 54mm hole required
- Passage and Privacy options available
- Flush design for total door retraction
- Suits door thickness 32mm to 42mm
- 60mm backset
- Finish: 304 stainless steel



C3 Cavity Slider range

- Entrance, Privacy & Passage functions
- Suitable for 35-45mm door thickness
- 50mm backset
- Solid diecast construction
- Includes door edge finger pull
- Adjustable striker plate
- Integrated emergency release (privacy)
- 3 Keys included (entrance)
- Includes fixing instructions
- Finishes: Black, Satin Nickel, Satin Brass & Graphite



C3PS.G



C3BK.B



C3ET.SNP



C3BK.SB



UF4



UF5




- Adapter plate to cover 54mm hole
- For use with Sylvan Centro
 - Round: 65mm diameter, 2 holes at 42mm B/C
 - Square: 65mm square
 - Sold in pairs
 - Not suitable for use with Centro Privacy option
 - Finish: SS



Through-bolt fixing kit

UF54



Bolt.SS

BOLT.SS

- 304 Grade Stainless Steel
- Bolt throw 15mm
- Width 25mm
- Length 150mm
- Finishes: SS, PB



Strike plate adjusting screw driver



Magnetic Latch Centering Tool

Forstner Bit

MCFB25

- 25mm forstner bit for use with the Sylvan magnetic catch. MC1



Adjustable strength
23mm magnetic catch

MC1

- Can be used anywhere a roller catch would normally be fitted
- No latch noise when opening door
- Completely concealed when door closed
- Self adhesive stainless steel cover plates
- Easy fit stainless steel housing cup makes installation quick and tidy
- Power adjustment packers supplied
- Note: 25mm Forstner bit available if required MCFB25



Adjustable strength
23mm magnetic catch

MC2

- Can be used anywhere a roller catch would normally be fitted
- No latch noise when opening door
- Completely concealed when door closed
- Note: 25mm Forstner bit available if required



Extra heavy duty concealed
magnetic catch

MC3

- Suitable for use on doors that require secure closing without latching
- Includes stainless steel power adjustment packers
- Easy fit housing cups
- Self adhesive stainless steel cover plates
- Drill in rubber buffers
- Note: additional packers are available MC3Pack



Mini 12mm concealed
magnetic catch

MC4

- Ideal for use on cabinets
- Easy fit housing cups
- Self adhesive stainless steel cover plates
- Drill in rubber buffers
- Suitable for use on door thicknesses of 16mm to 30mm

Magnetic Catch 8 pack
with free forstner bit

MC5

- Can be used anywhere a roller catch would normally be fitted
- No latch noise when opening door
- Completely concealed when door closed





Wall Mounted Banister Bracket

BB1

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: SCP



Wall Mounted Banister Bracket

BB3

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: SCP, Black, SNP



Wall Mounted Banister Bracket

BB5

- Designed: In New Zealand for New Zealand homes
- Construction: 316 Grade Stainless Steel
- Finish: Pol.SS



Wall Mounted LED Ready Banister Bracket

BB8.SS

- Suitable for use with low voltage led wiring (not included)
- Designed to accept cabling so hand rail can be back lit
- Designed in New Zealand for New Zealand homes
- Suitable for round profile handle rail section, exterior and interior use
- Produced in 316 Grade Stainless Steel
- Brushed Stainless Steel finish



Upright Banister Bracket

BB6

- Designed: In New Zealand for New Zealand homes
- Construction: 316 Grade Stainless Steel
- Finish: Pol.SS



Upright Banister Bracket

BB4

- Designed: In New Zealand for New Zealand homes
- Construction: Sturdy zinc die-cast construction, independently load tested by SGS materials testing
- Compliance: With NZ building code, access routed D1/AS1
- Finish: CP, SCP, SNP




inofix[®]

Cablefix - Adhesive support for electric cables

Self-adhesive support lengths with a discrete appearance for hiding cables. Cablefix secures cables to a range of surfaces such as glass, ceramics, tiles, marble, metals as well as wood, painted walls, etc.

Cablefix is made of high quality materials to ensure optimum results. It is composed of three main parts: The split wings made of softer material provide good flexibility and prevent stress formation in the adhesive on surfaces that are not perfectly flat. After attachment of the shape, the cable can be installed and removed at any time, for example when changing Hi-Fi equipment from one room to another. The base is of harder material to ensure the good linearity of layouts, as it has no lateral flexure. However, it does not prevent flexure in case of a surface which is not flat. The special adhesive foam features high adhesiveness, absorbing surface irregularities to ensure perfect attachment. Maximum temperature: 70° C, For indoor use.



SG1

SG2

SG3


panic exit devices




MADE IN EUROPE

ISEO Push Panic Exit

- Made in Italy
- Modular, reversible
- Lateral locking
- Steel latch with self-locking function
- Suitable for fire doors
- Pre-assembled top/bottom rods
- Caps for top/bottom holes
- Nylon spacer for external control
- Latch keepers included






MADE IN EUROPE

ISEO Base Panic Exit

- Made in Italy
- Modular, reversible
- Lateral locking
- Steel latch with self-locking function
- Suitable for fire doors
- Pre-assembled top/bottom rods
- Caps for top/bottom holes
- Nylon spacer for external control
- Latch keepers included



1NCA READERS Mullion

A solution created by ISEO to meet the needs for reliable and durable access control, required to manage internal and external gates of residential buildings, companies and utilities environments.

- 5E152315
- Power Supply: 9÷24 Vdc
 - IP66 Rated
 - Bluetooth® Low Energy 5.1
 - RFID Credentials 13,56 MHz
 - Tri-color LED (green, red, blue) & multi frequencies buzzer
 - Multi-hole fixing bracket
 - 300 Users
 - Records last 1000 events
 - Real-time clock/calendar
 - Programming & software updates ISEO ARGO app



smart cylinders



Libra Smart Oval Cylinder

- 82K39OVAL
- Stand alone electronic oval cylinder
 - Fits Oval profile cylinder locks
 - No wiring required
 - 2 year manufacturer's warranty
 - Battery life 1 year
 - Passage function friendly
 - Able to communicate with smart phone, RFID cards and electronic key tags
 - Range of communication between phone and cylinder: 10 metres
 - Suitable for exterior doors IP66 rated
 - Stores up to 300 users
 - Able to communicate with most iPhone and Samsung smart phones
 - Free app available (ISEO ARGO)



Libra Smart Euro Cylinder

- 82K
- Stand alone electronic euro cylinder
 - Fits European profile cylinder locks
 - No wiring required
 - 2 year manufacturer's warranty
 - Battery life 1 year
 - Passage function friendly
 - Able to communicate with smart phone, RFID cards, electronic key tags
 - Range of communication between phone and cylinder 10 metres
 - Suitable for exterior doors IP66 rated
 - Stores up to 300 users
 - Cylinder body lengths available are 70, 80 and 90mm
 - Able to communicate with most iPhone and Samsung smart phones
 - Free app available (ISEO ARGO)
 - Available with black reader and Satin Nickel turn



3 point locking



- Performa Lock – Wooden Doors 723**
Performa Lock – Aluminium Doors 7235
- Face plate length 2300mm but can be cut to length
 - Minimum length 1700mm
 - Three strike plates included with the lock
 - Tested to over 200,000 opening/closing cycles under load
 - 85mm cylinder spacing
 - Deadbolts operated by cylinder
 - Easy locking – gearing within main lock provide easy operation
 - Low friction chamfered deadbolts help maintain weather seal compression for better thermal insulation and energy saving
 - Can be operated by double turn kit rather than lever furniture
 - Flat faceplate versions suitable for timber doors (30, 40, 50 and 60mm backset)
 - U channel faceplate versions suitable for aluminium doors (30, 40, 50 and 60mm backset)



MADE IN EUROPE

Images show "U" faceplate

Performa Lock for Wooden Doors

Lock flat faceplate 24 X 3

Backset	A	L
30	27	42,5
40	37	52,5
50	47	62,5
60	57	73

Performa lock for Aluminium doors

Lock "U" faceplate 24 X 5

Backset	A	L
30	24	39,5
40	34	49,5
60	54	70

mortice locks

MADE IN EUROPE

Iseo Open Case Mortice Lock Suitable for Aluminium Frames

741

- Reversible latch
- Available in 20, 25, 30, 35mm backsets
- 85mm cylinder spacing
- Operated with optional euro profile cylinder
- Front plate 238 x 22 x 3mm
- Deadbolt has a 15mm throw
- Stainless Steel faceplate
- Includes strike plate

Iseo Swing Bolt Mortice Lock for Aluminium Doors

781

- Rotating/drop deadbolt with a 24mm throw
- Available in 25, 30, 35mm backsets
- Reversible and adjustable latch bolt 10 to 15mm
- 85mm euro cylinder spacing
- Front plate 290 x 24 x 3mm
- Stainless Steel faceplate
- Strike plate sold separately, item code 781Strike

Iseo Parrot Beak Mortice Lock for Sliding Doors

7814

- Available in 30, 35mm backsets
- Hook deadbolt has 8mm clearance with a 18mm throw
- Front plate 290 x 24 x 3mm
- Stainless Steel faceplate
- Strike plate sold separately, item code 7814Strike
- Includes plastic black escutcheon

Iseo Parrot Beak Mortice Lock for Sliding Doors

78147

- Available in 35mm backset
- Hook deadbolt has 14mm clearance with a 24mm throw
- Front plate 290 x 24 x 3mm
- Stainless Steel faceplate
- Strike plate sold separately, item code 7814Strike
- Includes metal escutcheon

Mortice Latch

749

- Available in 30mm backset
- Reversible latch
- 85mm cylinder spacing
- Front plate 238 x 22 x 3mm
- Stainless Steel faceplate
- For use on doors requiring passage mode
- Can be used for patio function and for use on doors requiring auto latching i.e., pool areas
- Strike plate sold separately, item code 781Strike

Roller Catch

7640

- Adjustable protrusion of roller catch
- Heavily sprung
- Strike plate included
- Finish: NP

Iseo closed case mortice lock suitable for aluminium and wooden frames

200N

- Reversible latch
- Available in 40 mm backset
- 85mm cylinder spacing
- Operated with optional euro profile cylinder
- Front plate 238 x 22 x 2.7 mm
- Double throw deadbolt -20mm throw
- Includes striker plate
- Stainless steel finish

striker plates



Striker plate for the 723 Performa divator

723DSTRIKE

- Height:132mm
- Width:24mm
- Finish: SS
- Iseo ref: 38220



Striker Plate for 7814 Parrot Beak lock

7814STRIKE

- Height: 132mm
- Width: 22mm
- Finish: SS
- Iseo ref: 38021



Striker Plate for Perfoma lock

723STRIKE

- Height: 180mm
- Width: 24mm
- Finish: SS
- Iseo ref: 38230



Strike plate for Performa roller kit

33092

- Height: 179mm
- Width: 20mm
- Finish: SCP
- Iseo ref 33092



Striker plate for 781 Swing bolt

781STRIKE

- Height: 180mm
- Width: 24mm
- Finish: SS
- Iseo ref: 38030



Strike plate for 741 lock

741STRIKE.SS

- This item is included with the lock
- Reversible
- Finish: SS



Armoured Lock

678

- Cylinders not included
- Latch reversible
- 30mm bolt throw
- 63mm Backset
- Adjustable Rod Length - 455-675mm
- Optional deadbolts available to make three point locking



Image shows right hand

Iseo Stainless Steel Electric Gate Lock

52NOI2

- Suitable for exterior gates
- Lock body produced in 304 grade Stainless Steel
- Optional Stainless Steel mounting plate also available
- Self locking latch bolt
- Replacement solenoids available
- 12 volt AC, 15 watts

Sold seperatly, a stainless steel protection and mounting plate 52012



Mid Rail Lock 704

704

- 80mm backset to oval cylinder
- Suitable for aluminium doors with mid-rail
- Operated by oval cylinder
- Deadbolt with 9mm throw with built-in latchbolt
- Alternative to knobset being fitted at 127mm



Mid Rail Lock and Handle Set

704HANDLE

- 304 grade stainless Lagos lever handle
- Iseo Mid Rail 80mm lock
- Mini oval 5 pin double cylinder - 54.6mm length
- Stainless steel back plate

cylinders & escutcheons

MADE IN EUROPE



F5 5 pin Euro Cylinder and Turn

8289

- 70.6mm cylinder length
- F5 key blanks available
- Finish: NP



F6 6 pin Euro Cylinder and Turn

8189

- 70.7mm cylinder length
- F6 key blanks available
- Finish: NP



F5 Euro Double Cylinder

8209

- 70.6mm cylinder length
- Key alike available
- F5 key blanks available
- Finish: NP



F6 Euro Double Cylinder

8199

- 70.7mm cylinder length
- Key alike available
- F6 key blanks available
- Finish: NP



Mini 5 pin Oval Cylinder and turn

8350

- 54.6mm cylinder length
- Suits ISEO 704 mid rail lock
- Key blanks available
- Finish: NP, PB



Mini 5 Pin Oval Double Cylinder

8300

- 54.6mm cylinder length
- Suits ISEO 704 mid rail lock
- Key blanks available (20159)
- Finish: NP, PB



ISEO Escutcheon

4202

- Euro escutcheon
- Finish: Anodised Aluminium



ISEO Escutcheon

4203

- Euro escutcheon
- Finish: SS

MADE IN EUROPE



Hydraulic Door Closer, standard arm

IS110

- Hydraulic door closer, can be fitted to all types of doors, up to 100kg in weight and 1100mm in width
- Adjustment: closing speed, latching action or silent closing, back check
- RV force: EN 2-4
- Finish: Silver, Black



Hydraulic Door Closer, slide track

IS65

- Hydraulic door closer, can be fitted to all types of doors, up to 950 mm in width
- Quiet closing action
- RV force EN 3
- Finish: Silver, Black



Hydraulic Door Closer

IS115

- Can be fitted to all types of doors, up to 100kg in weight and 1000mm in width.
- For internal doors and doors opening outwards
- For single action doors
- Force EN 2 - 4
- 2 year warranty
- Finish: Silver, Black



Hydraulic Door Closer, standard arm

IS310

- Hydraulic door closer, can be fitted to all types of doors, up to 160kg in weight and 1400mm in width
- Adjustment: closing speed, latching action or silent closing, back check, delayed closing action
- Force: EN 3-6
- Finish: Silver, Black



Hydraulic Door Closer

IS315

- Can be fitted to all types of doors, up to 160kg in weight and 1400mm in width.
- For internal doors and doors opening outwards
- For single action doors
- Force EN 3 - 5
- 2 year warranty
- Finish: Silver, Black




IS9100 Automatic Swing Door Operator

IS9100

- Ideal for use in the Medical or Aged care sectors.
- Suitable for use on doors up to 120kg in weight and 700mm in wide.
 - with an upgrade card available to increase the capacity to 160kg in weight and 1100mm in width
- For single action doors
- RV Force EN 2 - 4
- 2 year warranty
- Finish: Silver




door handing



leverset functions


ET Entrance Lock

Latch bolt operated by key from outside, by lever inside. Inside handle always active. Deadlocking latch bolt.




BK Bathroom Lock

For bedroom, bathroom or toilet. Inside push button locks outer lever. Coin operated emergency release.




PS Passage Latch

For interior doors not requiring locking. Levers are always active.



DT Dummy Trim

Fixed lever for wardrobe and cupboard doors. Use with roller bolt, magnetic catch or similar.



- CARING FOR THE FINISH OF YOUR HANDLES:**
- The plated finishes of polished brass, gold, black, black nickel plate, are all classified as soft finishes.
 - It is essential that no cleaning products are sprayed onto items that have a black finish as cleaning products will damage the finish.
 - Polished Brass and Stainless steel products do require a little bit of TLC from the homeowner, to ensure the finish remains in it's purchased condition. Sea salt, dust, oil from hands and environmental conditions can cause specs or discolouration to the surface. It is essential that these surfaces are cleaned regularly (every 3 months) with a soft cloth and mild soapy water. Or for Stainless steel products use a stainless steel cleaner and lanolin to protect its surface.

Smart Locks	4 - 11
Smart Lock Mortice Locks	6
Smart Lock Accessories	8 - 11
Door Pull Handles	12 - 13
Entrance Kits	14-16-17
Digital Locks	15
Push and Pull Plates	15
Gripsets	17
Centro Lever Handles	18-22
Ultimo Lever Handles	23
Escutcheons	24
Bathroom Privacy Turns	26-27
Noventa Leversets	28-30
Newton Leverset	32
Classic Lever Handles	30 - 32
Aluminium Lever Handles	33
Superior Handles & Knob	34 - 35
Superior Hinges	36
Knobsets	36 - 40
Deadbolts	41
Mortice Locks & Rebates	42-43
Rimlock & Nightlatch	43
Latches & Bolts	44
Striker Plates & Spindles	45
Mortice Lock Kit	45
Euro Cylinders	46
Door Stops	47 - 49
Flush Pulls	50 - 51
Cavity Sliders	52 - 53
Components	54
Magnetic Catches	55
Banister Brackets	56
CableFix	57
ISEO Panic Exit Hardware	58
ISEO Smart Cylinders	59
ISEO 3 Point Lock	60
ISEO Mortice Locks	61
ISEO Striker Plates	62
ISEO Rail & Gate Locks	63
ISEO Cylinders & Escutcheons	64
ISEO Hydraulic Door Closer	65

Keyed Alike
This product is available with a keyed alike option

C4 Keyway
This keys supplied with this product are C4

Combination Set Option
This product can be purchased in a pack with an Entrance Set and double cylinder deadbolt keyed alike

Buy NZ Made
This product has been produced in New Zealand

316 Stainless Steel
This product has been produced in 316 Stainless Steel and is suitable for marine or high salt areas

Fire Rated
This product has a fire rating as standard to specific doors, please refer to door manufacturer for more information.

Small Spindle Hole Compatible
10 ↔ 30mm DIAMETER

54mm DIAMETER

42mm B/C
20mm DIA

Spindle Diameter

- This product is able to be used in existing spindle holes from 10 to 30mm in diameter.

Spindle Diameter

- This product is able to be used in 54mm diameter hole.

Spindle Diameter

- This product is able to be used in 20mm diameter hole.

WARRANTY*	WARRANTY*	WARRANTY*	WARRANTY*	WARRANTY*
7 YEARS MECHANICAL	3 YEARS FINISH	10 YEARS MECHANICAL	5 YEARS FINISH	10 YEARS MECHANICAL
7.5 YEARS FINISH	7.5 YEARS FINISH	10 YEARS MECHANICAL	10 YEARS FINISH	15 YEARS MECHANICAL
				10 YEARS FINISH

Warranty

- Subject to conditions and exclusions. See www.sylvan.co.nz for full warranty details.

Special Finishes

- *2 Year Finish Warranty applies to Black products for normal use, excludes scratching or damage from cleaning products.

AB	Antique Brass	PB	Polished Brass
B	Black	PSS	Polished Stainless Steel
BSS	Brushed Stainless Steel	SA	Satin Aluminium
CP	Chrome Plate	SCP	Satin Chrome Plate
G	Graphite	SNP	Satin Nickel Plate
GP	Gold Plate	SS	Satin Stainless Steel



GDRutter
Limited



Head Office:

Box 100183, North Shore City,
Auckland 0745,
New Zealand

Physical Address:

127 Diana Drive,
Glenfield,
Auckland 0627,
New Zealand

Ph: +64 9 444 5359

FreeFax: 0800 479 5826

Email: sales@gdrutter.co.nz

FreePhone: 0800 279 582

www.sylvan.co.nz